I'm not a bot

,the free encyclopedia that anyone can edit.110,331 active editors 7,022,970 articles in EnglishSchool in Sketty, Swansea, photographed in 1854The period between 1701 and 1870 saw an expansion in access to formal education in Wales, though schooling was not yet universal. Several philanthropic efforts were made to provide education to the poor during the 18th century. In the early to mid-19th century, charitable schools were established to provide a basic education. Private schools aimed at the working classes also existed. State funding was introduced to schools from 1833. Some use of the Welsh language was made in 18th-century philanthropic education, at a time when most agricultural workers in Wales spoke only Welsh, and public opinion was keen for children to learn English. Many schools punished children for speaking Welsh, despite government studies that found such methods ineffective. The government did little to promote bilingual education. Grammar schools experienced difficulties and, by the end of the period, secondary education was limited. Dissenter academies and theological colleges offered higher education. (Fullarticle...)Recently featured: White dwarfBattle of GroixScott CarpenterArchiveBy emailMore featured articlesAboutSae Kitamura... that Sae Kitamura (pictured) has had her university students contribute to the Japanese Wikipedia as part of their coursework?... that the lead actress of The Grub-Stake brought her personal menageriewhich included bears and wolvesto the set for use as extras?... that James Patrick Shea thought that an invitation to meet with Pope BenedictXVI at the White House was a hoax?... that Robby Krieger was unable to record his guitar solo for "You're Lost Little Girl" until he got stoned on hashish?... that all three podium finishers at the 2024 Tour de France were members of cycling's Big Four?... that the directors of Final Destination Bloodlines "debated the ethics" of a character being killed by an MRI machine?... that one newspaper described the mansions of Riverside Drive as "glitter[ing] like a wedding cake"?... that Galidor has been described as Lego's biggest failure?... that the first review of Ellen, Countess of Castle Howel complained that its marriage plot focused too much on love?ArchiveStart a new articleNominate an articleVera Rubin ObservatoryThe Vera C. Rubin Observatory (pictured) in Chile releases the first light images from its new 8.4-meter (28ft) telescope.In basketball, the Oklahoma City Thunder defeat the Indiana Pacers to win the NBA Finals.An attack on a Greek Orthodox church in Damascus, Syria, kills at least 25 people.The United States conducts military strikes on three nuclear facilities in Iran.In rugby union, the Crusaders defeat the Chiefs to win the Super Rugby Pacific final.Ongoing: Gaza warIranIsrael warRussian invasion of UkrainetimelineSudanese civil wartimelineRecent deaths: Lucien NedziAnne BurrellFrederick W. SmithRon TaylorMohammad KazemiMarita Camacho QuirsNominate an articleJune 25 Original rainbow flag1658 Anglo-Spanish War: The largest battle ever fought on Jamaica, the three-day Battle of Rio Nuevo, began.1910 The United States Congress passed the Mann Act, which prohibited the interstate transport of females for "immoral purposes".1944 World WarII: U.S. Navy and Royal Navy ships bombarded Cherbourg, France, to support U.S. Army units engaged in the Battle of Cherbourg.1978 The rainbow flag (original version pictured) representing gay pride was first flown at the San Francisco Gay Freedom Day parade.2009 Singer Michael Jackson died as a result of the combination of drugs in his body.Giovanni Battista Riccioli (d.1671)Elosa Daz (b.1866)George Michael (b.1963)Farrah Fawcett (d.2009)More anniversaries: June 24June 25June 26ArchiveBy emailList of days of the yearAbout1795 Turban Head eagle with original reverse1797 Turban Head eagle with heraldic eagle reverseThe Turban Head eagle was a ten-dollar gold piece, or eagle, struck by the United States Mint from 1795 to 1804. The piece was designed by Robert Scot, and was the first in the eagle series, which continued until the Mint ceased striking gold coins for circulation in 1933. The common name is a misnomer; Liberty does not wear a turban but a cap, believed by some to be a pileus or Liberty cap: her hair twisting around the headgear makes it appear to be a turban. The number of stars on the obverse was initially intended to be equal to the number of states in the Union, but with the number at 16, that idea was abandoned in favor of using 13 stars in honor of the original states. The initial reverse, featuring an eagle with a wreath in its mouth, proved unpopular and was replaced by a heraldic eagle. Increases in the price of gold made it profitable for the coins to be melted down, and in 1804, President Thomas Jefferson ended coinage of eagles; the denomination was not struck again for circulation for more than 30years. These Turban Head eagles are in the National Numismatic Collection at the National Museum of American History.Coin design credit: United States Mint; photographed by Jaclyn NashRecently featured: SpringbokGeraldine UlmarShah Mosque (Isfahan)ArchiveMore featured picturesCommunity portal The central hub for editors, with resources, links, tasks, and announcements.Village pump Forum for discussions about Wikipedia itself, including policies and technical issues.Site news Sources of news about Wikipedia and the broader Wikimedia movement.Teahouse Ask basic questions about using or editing Wikipedia.Help desk Ask questions about using or editing Wikipedia.Reference desk Ask research questions about encyclopedic topics.Content portals A unique way to navigate the encyclopedia.Wikipedia is written by volunteer editors and hosted by the Wikimedia Foundation, a non-profit organization that also hosts a range of other volunteer projects: CommonsFree media repository MediaWikiWiki software development Meta-WikiWikimedia project coordination WikibooksFree textbooks and manuals WikidataFree knowledge base WikinewsFree-content news WikiquoteCollection of quotations WikisourceFree-content library WikispeciesDirectory of species WikiversityFree learning tools WikivoyageFree travel guide WiktionaryDictionary and thesaurusThis Wikipedia is written in English. Many other Wikipedias are available; some of the largest are listed below. 1,000,000+ articles DeutschEspaolFranaisItalianoNederlandsPolskiPortugusSvenskaTing Vit 250,000+ articles Bahasa IndonesiaBahasa MelayuBn-lm-gCataletinaDanskEestiEsperantoEuskaraMagyarNorsk bokmlRomnSimple EnglishSloveninaSrpskiSrpskohrvatskiSuomiTrkeOzbekcha 50,000+ articles AsturianuAzrbaycancaBosanskiFryskGaeilgeGalegoHrvatskiKurdLatvieuLietuviNorsk nynorskShqipSlovenina Retrieved from " 2This article needs additional citations for verification. Please help improve this article by adding citations to reliable sources. Unsourced material may be challenged and removed.Find sources:"1658"news newspapers books scholar JSTOR (January 2016) (Learn how and when to remove this message)Calendar yearYearsMillennium2ndmillenniumCenturies16thcentury17thcentury 18thcenturyDecades1630s1640s1650s 1660s1670sYears1655165616571658 165916601661vteJanuary 30: Swedish troops cross the frozen waters of the Danish straits on foot in the March Across the Belts1658 by topicArts and scienceArchitectureArtLiteratureMusicScienceLeadersState leadersColonial governorsReligious leadersBirth and death categoriesBirths DeathsEstablishments and disestablishments categoriesEstablishments DisestablishmentsWorks categoryWorksvte1658 in various calendarsGregorian calendar1658MDCLVIIIAb urbe condita2411Armenian calendar1107 Assyrian calendar6408Balinese saka calendar15791580Bengali calendar10641065Berber calendar2608English Regnal year9Cha.210Cha.2(Interregnum)Buddhist calendar2202Burmese calendar1020Byzantine calendar71667167Chinese calendar (FireRooster)4355 or 4148to (EarthDog)4356 or 4149Coptic calendar13741375Discordian calendar2824Ethiopian calendar16501651Hebrew calendar54185419Hindu calendars- Vikram Samvat17141715- Shaka Samvat15791580- Kali Yuga47584759Holocene calendar11658Igbo calendar658659Iranian calendar10361037Islamic calendar10681069Japanese calendarMeireki 4 / Manji 1()Javanese calendar15801581Julian calendarGregorian minus 10 daysKorean calendar3991Minguo calendar254 before ROC254Nanakshahi calendar190Thai solar calendar22002201Tibetan calendar(female Fire-Rooster)1784 or 1403 or 631to(male Earth-Dog)1785 or 1404 or 632June 14: Battle of the Dunes1658 (MDCLVIII) was a common year starting on Tuesday of the Gregorian calendarand a common year starting on Friday of the Julian calendar, the 1658th year of the Common Era (CE) and Anno Domini (AD) designations, the 658th year of the 2ndmillennium, the 58th year of the 17thcentury, and the 9th year of the 1650s decade. As of the start of 1658, the Gregorian calendar was 10 days ahead of the Julian calendar, which remained in localized use until 1923. Calendar year January 13 Edward Sexby, who had plotted against Oliver Cromwell, dies in the Tower of London.[1]January 30 The "March Across the Belts" (Tget ver Blt), Sweden's use of winter weather to send troops across the waters of the Danish straits at a time when winter has turned them to ice, begins. Within 17 days, Sweden's King Karl X Gustav leads troops across the ice belts to capture six of Denmark's islands as Swedish territory.February 5 Prince Muhi al-Din Muhammad, one of the sons of India's Mughal, Emperor Shah Jahan, proclaims himself Emperor after Jahan names Muhi's older brother, Dara Shikoh, as regent, and departs from Aurangabad with troops.February 6 Swedish troops of Charles X Gustav of Sweden cross The Great Belt in Denmark, over frozen sea.[2]March 8 (February 26 OS) The peace between Sweden and Denmark-Norway is concluded in Roskilde by the Treaty of Roskilde, under which Denmark is forced to cede significant territory. This leads to Sweden reaching its territorial height during its time as a great power.April 15 In India, the Battle of Dharmat is fought in the modern-day state of Madhya Pradesh between rival claimants to the throne of the Mughal Empire. Prince Muhi al-Din Muhammad, the son of the Emperor Shah Jahan, leads 30,000 men in a triumph over 22,000 troops led by Jaswant Singh of Marwar and Ratan Singh Rathore. Despite heavy losses, with more than 11,000 casualties, Prince Muhi, who has adopted the name Aurangzeb, continues toward Samugarh and Agra and captures the throne at the end of July.April 16 In Skneland, a region recently ceded by Denmark to the Swedish Empire, representatives of the nobility of the provinces of Blekinge, Halland and Scania gather at the Scanian city of Malm to swear their allegiance to King Charles X Gustav of Sweden.May 1 Hydriotaphia, Urn Burial and The Garden of Cyrus are published by Thomas Browne in England.May 29 Aurangzeb wins the Battle of Samugarh as Indian Mughal regent Dara Shikoh makes a last effort to defend the Mughal capital Agra.June 3 Pope Alexander VII appoints Franois de Laval vicar apostolic of New France.June 14 Anglo-Spanish War (165460) and Franco-Spanish War (163559): In the Battle of the Dunes, a Spanish force attempting to lift a siege of Dunkirk is defeated by the French and English. England is then given Dunkirk, for its assistance in the victory.June 2527 In the Battle of Rio Nuevo, part of the Anglo-Spanish War, a Spanish invasion force fails to recapture Jamaica from the English.July 2 The Siege of Toru begins in Poland as troops of the PolishLithuanian Commonwealth and of Austria seek to recapture the city of Toru from a garrison of the Swedish Army. Within six months, the Swedish occupiers surrender.July 18 Prince Leopold of the House of Habsburg, son of the late Ferdinand III, is elected as the new Holy Roman Emperor.July 31 After Shah Jahan completes the Taj Mahal, his son Aurangzeb deposes him as ruler of the Mughal Empire.July arhda's Manchu fleet annihilates Onufriy Stepanov's Russian flotilla, on the Amur River.August 1 The coronation of Leopold I takes place in Frankfurt.August 5 Just six months after winning territory from Denmark-Norway in war and subsequent treaty, Sweden's King Charles X Gustav declares a second war against Denmark. By August 11, the King's troops have surrounded Denmark's capital, Copenhagen, while the Swedish Navy blocks the harbor to prevent the city from being resupplied, and begins bombardment.August 14 The League of the Rhine (Rheinische Allianz) is formed by 50 German princes whose cities are on the Rhine river.September 3 Oliver Cromwell dies and his son Richard assumes his father's position as Lord Protector of England, Scotland and Ireland.September 17 Portuguese Restoration War: In the Battle of Vilanova, a Spanish army, having crossed the Minho, defeats the Portuguese.October 7 The Netherlands enters the Dano-Swedish War to come to the rescue of Denmark, sending a 45-ship fleet from Vlie.October 29 The 45-ship fleet of the Netherlands arrives at Denmark and begins its counterattack on Sweden's army and navy with three squadrons.November 6 The Mexican Inquisition carries out the execution, by public burning, of 14 men convicted of homosexuality, while another 109 arrested are either released or given less harsh sentences.November 8 (October 29 old style) The Battle of the Sound takes place between the navies of the Dutch Republic (with 41 warships) and of Sweden (with 45) at the resund, a strait between Denmark and Sweden's newly-acquired territory, the former Danish island of Scania. The Dutch Republic is successful at breaking the Swedish Navy's blockade of Copenhagen, and Sweden is forced to retreat, bringing an end to the attempted conquest of Denmark.November 23 The elaborate funeral of Lord Protector of England Oliver Cromwell (who had died on September 3 and was buried at Westminster Abbey two weeks later) is carried out in London. A little more than two years later (in January 1661), his body will be disinterred and his head severed and placed on a spike.December 11 Abaza Hasan Pasha, an Ottoman provincial governor who is attempting to depose the Grand Vizier, wins a battle at the Turkish city of Ilgin, defeating loyalist forces led by Murtaza Pasha. The victory is the last for the rebels. Two months later (February 16, 1659) Abaza Hasan is assassinated after being invited to peace negotiations by the loyalists.December 20 Representatives of the Russian Empire and the Swedish Empire sign the Treaty of Valiesar at the Valiesar Estate near Narva, part of modern-day Estonia. In return for ceasing hostilities between the two empires in the Second Northern War, Russia is allowed to keep captured territories in Livonia (part of modern-day Latvia) for a term of three years.December 25 Polish and Danish forces defeat a Swedish Army in the Battle of Kolding in Denmark.December 30 The Siege of Toru ends almost six months after it started, with Poland recapturing the city from Sweden.Portuguese traders are expelled from Ceylon by Dutch invaders.The Dutch in the Cape Colony start to import slaves from India and South-East Asia (later from Madagascar).Mary of ModenaJanuary 9 Nicolas Coustou, French artist (d. 1733)[3]January 17 Samson Wertheimer, European rabbi (d. 1724)January 17 Francis Seymour, 5th Duke of Somerset (d. 1678)February 18 Charles-Irne Castel de Saint-Pierre, French writer (d. 1743)March 5 Antoine de la Mothe Cadillac, French explorer (d. 1730)March 8 Thomas Trevor, 1st Baron Trevor, British Baron (d. 1730)March 23 Jean-Baptiste Santerre, French painter (d. 1717)March 30 Muro Kys, Japanese Neo-Confucian scholar (d. 1734)April 11 James Hamilton, 4th Duke of Hamilton, Scottish peer (d. 1712)April 19 Johann Wilhelm, Elector Palatine, German noble (d. 1716)April 22 Giuseppe Torelli, Italian violist, violinist, pedagogue and composer (d. 1709)May 30 Sir Henry Furnese, 1st Baronet, English merchant and politician (d. 1712)June 10 John March, Massachusetts businessman, colonel (d. 1712)June 11 Victor Honor Janssens, Flemish painter (d. 1736)June 22 Louis VII, Landgrave of Hesse-Darmstadt (d. 1678)July 10 Luigi Ferdinando Marsili, Italian soldier and naturalist (d. 1730)July 14 Camillo Rusconi, Italian artist (d. 1728)July 17 Diogo de Mendona Corte-Real, Portuguese politician (d. 1736)July 21 Alexis Littr, French physician and anatomist (d. 1726)July 25 Archibald Campbell, 1st Duke of Argyll, Scottish privy councillor (d. 1703)July 28 Roelof Diodati, Dutch Governor of Mauritius (d. 1723)August 1 Pierre Joseph Garidel, French botanist (d. 1737)August 5 Claude Audran III, French painter (d. 1734)August 10 Susanne Maria von Sandrart, German engraver (d. 1716)August 11 Sir Justinian Isham, 4th Baronet, English baronet and Member of Parliament (d. 1730)August 16 Jan Frans van Son, Flemish Baroque painter (d. 1704)August 16 Ralph Thoresby, British historian (d. 1725)August 18 Jan Frantiek Beckovsk, Czech historian (d. 1722)August 22 John Ernest IV, Duke of Saxe-Coburg-Saalfeld (d. 1729)August 28 Honor Tournly, French theologian (d. 1729)September 1 Jacques Bernard, French theologian and publicist (d. 1718)September 16 John Dennis, English dramatist and critic (d. 1734)September 24 Sir Robert Anstruther, 1st Baronet, Scottish politician (d. 1737)September 30 Elisabeth Eleonore of Brunswick-Wolfenbttel, Duchess consort of Saxe-Meiningen (d. 1729)October 2 Nicholas Roosevelt (16581742), Dutch-American politician (d. 1742)October 5 Mary of Modena, queen of James II of England (d. 1718)October 11 Christian Heinrich Postel, German jurist (d. 1705)October 18 Alexander of Courland, German prince (d. 1686)October 19 Adolphus Frederick II, Duke of Mecklenburg-Strelitz (d. 1704)October 21 Henri de Boulainvilliers, French nobleman (d. 1722)October 24 Marko Gerbec, Carniolan physician, scientist (d. 1718)November 2 Baptist Noel (MP), English politician (d. 1690)November 4 Sulkhan-Saba Orbeliani, Georgian prince, writer, monk and author (d. 1725)November 21 Johann Gottfried Roesner, Prussian burgomaster (d. 1724)November 27 Tsarevna Catherine Alekseyevna of Russia, daughter of Tsar Alexis of Russia (d. 1718)November 27 Hercule-Louis Turinetti, marquis of Pri (d. 1726)December 2 Sir Thomas Roberts, 4th Baronet, English politician (d. 1706)December 10 Lancelot Blackburne, Archbishop of York (d. 1743)date unknown Elizabeth Barry, English actress (d. 1713)John ClevelandWitte Corneliszoon de WithJanuary 1 Caspar Sibelius, Dutch Protestant minister (b. 1590)January 2 Sir William Armine, 2nd Baronet, English politician (b. 1622)January 7 Theophilus Eaton, English-born Connecticut colonist (b. 1590)January 13 Edward Sexby, English Puritan soldier (b. 1616)February 19 Henry Wilmot, 1st Earl of Rochester (b. 1612)March 25 Herman IV, Landgrave of Hesse-Rotenburg (b. 1607)February 27 Adolf Frederick I, Duke of Mecklenburg-Schwerin (15921628 and again 16311658) (b. 1588)March 29 Bertuccio Valiero, Doge of Venice (b. 1596)April 7 Juan Eusebio Nieremberg, Spanish mystic (b. 1595)April 19Kirsten Munk, second wife of Christian IV of Denmark (b. 1598)Robert Rich, 2nd Earl of Warwick, English colonial administrator and admiral (b. 1587)April 24 Francesco Maria Richini, Italian architect (b. 1584)April 29 John Cleveland, English poet (b. 1613)May 20 Bartholomew Holzhauser, German priest, visionary and writer of prophecies (b. 1613)June 18 Louis Cappel, French Protestant churchman and scholar (b. 1585)June 8 Sir Henry Slingsby, 1st Baronet, English baronet (b. 1602)June 27 Ercole Gennari, Italian drawer and painter (b. 1597)July 22 Frederick, Duke of Schleswig-Holstein-Snderburg-Norburg (b. 1581)August 5 Gundakar, Prince of Liechtenstein, court official in Vienna (b. 1580)August 6 Elizabeth Claypole, daughter of Oliver Cromwell (b. 1629)August 19 Christine of Hesse-Kassel, Duchess of Saxe-Eisenach and Saxe-Coburg (b. 1578)September 3 Oliver Cromwell, Lord Protector of England, Scotland, and Ireland (b. 1599)September 17 Kaspar von Barth, German philologist and writer (b. 1587)September 22 Georg Philipp Harsdrffer, German poet (b. 1607)October 14 Francesco I d'Este, Duke of Modena, Italian noble (b. 1610)October 23 Thomas Pride, Parliamentarian general in the English Civil WarNovember 4 Antoine Le Maistre, French Jansenist (b. 1608)November 6 Pierre du Ryer, French dramatist (b. 1606)November 7 Maeda Toshitsune, Japanese warlord (b. 1594)November 8 Witte de With, Dutch naval officer (b. 1599)November 26 Duke Francis Henry of Saxe-Lauenburg (b. 1604)November 29 Margrave Charles Magnus of Baden-Durlach (b. 1621)December 6 Baltasar Gracin y Morales, Spanish writer (b. 1601)December 15 Carlo Emanuele Madruzzo, Italian prince-bishop (b. 1599)December 20 Jean Jannon, French typefounder (b. 1580)Date unknown: Osoet Pegua, Thai businesswoman (b. 1615)^ "killing". Oxford Reference. Retrieved December 14, 2021.^ Brems, Hans (June 1970). "Sweden: From Great Power to Welfare State". Journal of Economic Issues. 4 (2, 3). Association for Evolutionary Economics: 116. doi:10.1080/00213624.1970.11502941. JSTOR4224039. A swift and brilliantly conceived march from Holstein across the frozen Danish waters on Copenhagen, by Karl X Gustav in 1658, finally wrests Bohuslin, Sk'ane, and Blekinge from Denmark-Norway. Denmark no longer controls both sides of Oresund, and Swedish power is at its peak.^ "Nicolas Coustou | French sculptor | Britannica". www.britannica.com. Retrieved December 14, 2021.Retrieved from " 3One hundred years, from 1501 to 1600This article needs additional citations for verification. Please help improve this article by adding citations to reliable sources. Unsourced material may be challenged and removed.Find sources:"16th century"news newspapers books scholar JSTOR (September 2022) (Learn how and when to remove this message)Millennia2ndmillenniumCenturies15thcentury16thcentury17thcenturyTimelines15thcentury16thcentury17thcenturyState leaders15thcentury16thcentury17thcenturyDecades1500s1510s1520s1530s1540s1550s1560s1570s1580s1590sCategories:Births Deaths Establishments DisestablishmentsvteThe world map by the Italian Amerigo Vespucci (from whose name the word America is derived) and Belgian Gerardus Mercator shows (besides the classical continents Europe, Africa, and Asia) the Americas as America sive India Nova', New Guinea, and other islands of Southeast Asia, as well as a hypothetical Arctic continent and a yet undetermined Terra Australis.[1]The 16th century began with the Julian year 1501 (represented by the Roman numerals MDI) and ended with either the Julian or the Gregorian year 1600 (MDC), depending on the reckoning used (the Gregorian calendar introduced a lapse of 10 days in October 1582).[1]The Renaissance in Italy and Europe saw the emergence of important artists, authors and scientists, and led to the foundation of important subjects which include accounting and political science. Copernicus proposed the heliocentric universe, which was met with strong resistance, and Tycho Brahe refuted the theory of celestial spheres through observational measurement of the 1572 appearance of a Milky Way supernova. These events directly challenged the long-held notion of an immutable universe supported by Ptolemy and Aristotle, and led to major revolutions in astronomy and science. Galileo Galilei became a champion of the new sciences, invented the first thermometer and made substantial contributions in the fields of physics and astronomy, becoming a major figure in the Scientific Revolution in Europe.Spain and Portugal colonized large parts of Central and South America, followed by France and England in Northern America and the Lesser Antilles. The Portuguese became the masters of trade between Brazil, the coasts of Africa, and their possessions in the Indies, whereas the Spanish came to dominate the Greater Antilles, Mexico, Peru, and opened trade across the Pacific Ocean, linking the Americas with the Indies. English and French privateers began to practice persistent theft of Spanish and Portuguese treasures. This era of colonialism established mercantilism as the leading school of economic thought, where the economic system was viewed as a zero-sum game in which any gain by one party required a loss by another. The mercantilist doctrine encouraged the many intra-European wars of the period and arguably fueled European expansion and imperialism throughout the world until the 19th century or early 20th century.The Reformation in central and northern Europe gave a major blow to the authority of the papacy and the Catholic Church. In England, the British-Italian Alberico Gentili wrote the first book on public international law and divided secularism from canon law and Catholic theology. European politics became dominated by religious conflicts, with the groundwork for the epochal Thirty Years' War being laid towards the end of the century.In the Middle East, the Ottoman Empire continued to expand, with the sultan taking the title of caliph, while dealing with a resurgent Persia. Iran and Iraq were caught by a major popularity of the Shia sect of Islam under the rule of the Safavid dynasty of warrior-mystics, providing grounds for a Persia independent of the majority-Sunni Muslim world.[2]In the Indian subcontinent, following the defeat of the Delhi Sultanate and Vijayanagara Empire, new powers emerged, the Sur Empire founded by Sher Shah Suri, Deccan sultanates, Rajput states, and the Mughal Empire[3] by Emperor Babur, a direct descendant of Timur and Genghis Khan.[4] His successors Humayun and Akbar, enlarged the empire to include most of South Asia.Japan suffered a severe civil war at this time, known as the Sengoku period, and emerged from it as a unified nation under Toyotomi Hideyoshi. China was ruled by the Ming dynasty, which was becoming increasingly isolationist, coming into conflict with Japan over the control of Korea as well as Japanese pirates.In Africa, Christianity had begun to spread in Central Africa and Southern Africa. Until the Scramble for Africa in the late 19th century, most of Africa was left uncolonized.For timelines of earlier events, see 15th century and Timeline of the Middle Ages.Main article: 1500sMona Lisa, by Leonardo da Vinci, c.15031506, one of the world's best-known paintings1501: Michelangelo returns to his native Florence to begin work on the statue David.1501: Safavid dynasty reunifies Iran and rules over it until 1736. Safavids adopt a Shia branch of Islam.[5]1501: First Battle of Cannanore between the Third Portuguese Armada and Kingdom of Cochin under Joo da Nova and Zamorin of Kozhikode's navy marks the beginning of Portuguese conflicts in the Indian Ocean.1502: First reported African slaves in the New World1502: The Crimean Khanate sacks Sarai in the Golden Horde, ending its existence.1503: Spain defeats France at the Battle of Cerignola. Considered to be the first battle in history won by gunpowder small arms.1503: Leonardo da Vinci begins painting the Mona Lisa and completes it three years later.1503: Nostradamus is born on either December 14 or December 21.1504: A period of drought, with famine in all of Spain.1504: Death of Isabella I of Castile; Joanna of Castile becomes the Queen.1504: Foundation of the Sultanate of Sennar by Amara Dunqas, in what is modern Sudan1505: Zhengde Emperor ascends the throne of Ming dynasty.1505: Martin Luther enters St. Augustine's Monastery at Erfurt, Germany, on 17 July and begins his journey to instigating the Reformation.1505: Sultan Trenggono builds the first Muslim kingdom in Java, called Demak, in Indonesia. Many other small kingdoms were established in other islands to fight against Portuguese. Each kingdom introduced local language as a way of communication and unity.1506: Leonardo da Vinci completes the Mona Lisa.1506: King Afonso I of Kongo wins the battle of Mbanza Kongo, resulting in Catholicism becoming Kongo's state religion.Battle of Cerignola: El Gran Capitan finds the corpse of Louis d'Armagnac, Duke of Nemours1506: At least two thousand converted Jews are massacred in a Lisbon riot, Portugal.1506: Christopher Columbus dies in Valladolid, Spain.1506: Poland is invaded by Tatars from the Crimean Khanate.1507: The first recorded epidemic of smallpox in the New World on the island of Hispaniola. It devastates the native Tano population.[6]1507: Afonso de Albuquerque conquered Hormuz and Muscat, among other bases in the Persian Gulf, taking control of the region at the entrance of the Gulf.1508: The Christian-Islamic power struggle in Europe and West Asia spills over into the Indian Ocean as Battle of Chaul during the Portuguese-Mamluk War15081512: Michelangelo paints the Sistine Chapel ceiling.1509: The defeat of joint fleet of the Sultan of Gujarat, the Mamlk Burji Sultanate of Egypt, and the Zamorin of Calicut with support of the Republic of Venice and the Ottoman Empire in Battle of Diu marks the beginning of Portuguese dominance of the Spice trade and the Indian Ocean.1509: The Portuguese king sends Diogo Lopes de Sequeira to find Malacca, the eastern terminus of Asian trade. After initially receiving Sequeira, Sultan Mahmud Shah captures and/or kills several of his men and attempts an assault on the four Portuguese ships, which escape.[7] The Javanese fleet is also destroyed in Malacca.1509: Krishnadevaraya ascends the throne of Vijayanagara Empire.Main article: 1510sAfonso de Albuquerque15091510: The 'great plague' in various parts of Tudor England.[8]1510: Afonso de Albuquerque of Portugal conquers Goa in India.1511: Afonso de Albuquerque of Portugal conquers Malacca, the capital of the Sultanate of Malacca in present-day Malaysia.1512: Copernicus writes Commentariolus, and proclaims the Sun the center of the Solar System.1512: The southern part (historical core) of the Kingdom of Navarre is invaded by Castile and Aragon.1512: Qutb Shahi dynasty, founded by Quli Qutb Mulk, rules Golconda Sultanate until 1687.1512: The first Portuguese exploratory expedition was sent eastward from Malacca (in present-day Malaysia) to search for the 'Spice Islands' (Maluku) led by Francisco Serro. Serro is shipwrecked but struggles on to Hitu (northern Ambon) and wins the favour of the local rulers.[9]1513: Machiavelli writes The Prince, a treatise about political philosophy1513: The Portuguese mariner Jorge lvares lands at Macau, China, during the Ming dynasty.1513: Henry VIII defeats the French at the Battle of the Spurs.1513: The Battle of Flodden Field in which invading Scots are defeated by Henry VIII's forces.1513: Sultan Selim I ("The Grim") orders the massacre of Shia Muslims in Anatolia (present-day Turkey).1513: Vasco Nez de Balboa, in service of Spain arrives at the Pacific Ocean (which he called Mar del Sur) across the Isthmus of Panama. He was the first European to do so.1514: The Battle of Orsha halts Muscovy's expansion into Eastern Europe.1514: Dzsa rebellion (peasant revolt) in Hungary.Martin Luther initiated the Reformation with his Ninety-five Theses in 1517.1514: The Battle of Chaldiran, the Ottoman Empire gains decisive victory against Safavid dynasty.1515: Ascension of Francis I of France as King of France following the death of Louis XII.1515: The Ottoman Empire wrests Eastern Anatolia from the Safavids after the Battle of Chaldiran.1515: The Ottomans conquer the last beyliks of Anatolia, the Dulkadirs and the Ramadanids.15161517: The Ottomans defeat the Mamluks and gain control of Egypt, Arabia, and the Levant.1517: The Sweating sickness epidemic in Tudor England.[10]1517: The Reformation begins when Martin Luther posts his Ninety-five Theses in Saxony.1518: The Treaty of London was a non-aggression pact between the major European nations. The signatories were Burgundy, France, England, the Holy Roman Empire, the Netherlands, the Papal States and Spain, all of whom agreed not to attack one another and to come to the aid of any that were under attack.1518: Mir Chakar Khan Rind leaves Baluchistan and settles in Punjab.1518: Leo Africanus, also known as al-Hasan ibn Muhammad al-Wazzan al-Fasi, an Andalusian Berber diplomat who is best known for his book Descrittione dellAfrica (Description of Africa), is captured by Spanish pirates; he is taken to Rome and presented to Pope Leo X.1518: The dancing plague of 1518 begins in Strasbourg, lasting for about one month.1519: Leonardo da Vinci dies of natural causes on May 2.Europe at the time of the accession of Charles V in 15191519: Wang Yangming, the Chinese philosopher and governor of Jiangxi province, describes his intent to use the firepower of the fo-lang-ji, a breech-loading Portuguese culverin, in order to suppress the rebellion of Prince Zhu Chenhao.1519: Barbary pirates led by Hayreddin Barbarossa, a Turk appointed to ruling position in Algiers by the Ottoman Empire, raid Provence and Toulon in southern France.1519: Death of Emperor Maximilian; Charles I of Austria, Spain, and the Low Countries becomes Emperor of Holy Roman Empire as Charles V, Holy Roman Emperor (ruled until 1556).15191522: Spanish expedition commanded by Magellan and Elcano are the first to Circumnavigate the Earth.15191521: Hernn Corts leads the Spanish conquest of the Aztec Empire.Main article: 1520sFerdinand Magellan led the first expedition that circumnavigated the globe in 15191522.15201566: The reign of Suleiman the Magnificent marks the zenith of the Ottoman Empire.1520: The first European diplomatic mission to Ethiopia, sent by the Portuguese, arrives at Massawa 9 April, and reaches the imperial encampment of Emperor Dawit II in Shewa 9 October.1520: Vijayanagara Empire forces under Krishnadevaraya defeat the Adil Shahi under at the Battle of Raichur1520: Sultan Ali Mughayat Shah of Aceh begins an expansionist campaign capturing Daya on the west Sumatran coast (in present-day Indonesia), and the pepper and gold producing lands on the east coast.1520: The Portuguese established a trading post in the village of Lamakera on the eastern side of Solor (in present-day Indonesia) as a transit harbour between Maluku and Malacca.1521: Belgrade (in present-day Serbia) is captured by the Ottoman Empire.1521: After building fortifications at Tuen Mun, the Portuguese attempt to invade Ming dynasty China, but are expelled by Chinese naval forces.1521: Philippines encountered by Ferdinand Magellan. He was later killed in the Battle of Mactan in central Philippines in the same year.1521: Jiajing Emperor ascended the throne of Ming dynasty, China.1521: November, Ferdinand Magellan's expedition reaches Maluku (in present-day Indonesia) and after trade with Ternate returns to Europe with a load of cloves.1521: Pati Unus leads the invasion of Malacca (in present-day Malaysia) against the Portuguese occupation. Pati Unus was killed in this battle, and was succeeded by his brother, sultan Trenggana.1522: Rhodes falls to the Ottomans of Suleiman the Magnificent.[11]Sack of Rome of 1527 by Charles V's forces (painting by Johannes Lingelbach)1522: The Portuguese ally themselves with the rulers of Ternate (in present-day Indonesia) and begin construction of a fort.[9]1522: August, Luso-Sundanese Treaty signed between Portugal and Sunda Kingdom granted Portuguese permit to build fortress in Sunda Kelapa.1523: Sweden gains independence from the Kalmar Union.1523: The Cacao bean is introduced to Spain by Hernn Corts15241525: German Peasants' War in the Holy Roman Empire.1524: Giovanni da Verrazzano is the first European to explore the Atlantic coast of North America between South Carolina and Newfoundland.1524: Ismail I, the founder of Safavid dynasty, dies and Tahmasp I becomes king.Gun-wielding Ottoman Janissaries and defending Knights of Saint John at the siege of Rhodes in 1522, from an Ottoman manuscript1525: Timurid Empire forces under Babur defeat the Lodi dynasty at the First Battle of Panipat, end of the Delhi Sultanate.1525: German and Spanish forces defeat France at the Battle of Pavia, Francis I of France is captured.1526: The Ottomans defeat the Kingdom of Hungary at the Battle of Mohcs.1526: Mughal Empire, founded by Babur.1527: Sack of Rome with Pope Clement VII escaping and the Swiss Guards defending the Vatican being killed. The sack of the city of Rome considered the end of the Italian Renaissance.1527: Protestant Reformation begins in Sweden.1527: The last ruler of Majapahit falls from power. This state (located in present-day Indonesia) was finally extinguished at the hands of the Demak. A large number of courtiers, artisans, priests, and members of the royalty moved east to the island of Bali; however, the power and the seat of government transferred to Demak under the leadership of Pangeran, later Sultan Fatah.1527: June 22, The Javanese Prince Fatahillah of the Cirebon Sultanate successfully defeated the Portuguese armed forces at the site of the Sunda Kelapa Harbor. The city was then renamed Jayakarta, meaning "a glorious victory." This eventful day came to be acknowledged as Jakarta's Founding Anniversary.1527: Mughal Empire forces defeat the Rajput led by Rana Sanga of Mewar at the Battle of Khanwa1529: The Austrians defeat the Ottoman Empire at the siege of Vienna.1529: Treaty of Zaragoza defined the antimeridian of Tordesillas attributing the Moluccas to Portugal and Philippines to Spain.1529: Imam Ahmad Gurey defeats the Ethiopian Emperor Dawit II in the Battle of Shimbra Kure, the opening clash of the EthiopianAdal War.Main article: 1530sSpanish conquistadors with their Tlaxcallan allies fighting against the Otomies of Metztitlan in present-day Mexico, a 16th-century codex15311532: The Church of England breaks away from the Catholic Church and recognizes King Henry VIII as the head of the Church.1531: The Inca Civil War is fought between the two brothers, Atahualpa and Huscar.1532: Francisco Pizarro leads the Spanish conquest of the Inca Empire.1532: Foundation of So Vicente, the first permanent Portuguese settlement in the Americas.1533: Anne Boleyn becomes Queen of England.1533: Elizabeth Tudor is born.1534: Jacques Cartier claims Canada for France.1534: The Ottomans capture Baghdad from the Safavids.1534: Affair of the Placards, where King Francis I becomes more active in repression of French Protestants.1535: The Mnster Rebellion, an attempt of radical, millennialist, Anabaptists to establish a theocracy, ends in bloodshed.1535: The Portuguese in Ternate depose Sultan Tabariji (or Tabarija) and send him to Portuguese Goa where he converts to Christianity and bequeaths his Portuguese godfather Jordao de Freitas the island of Ambon.[12] Hairun becomes the next sultan.1536: Catherine of Aragon dies in Kimbolton Castle, in England.Territorial expansion of the Ottoman Empire under Suleiman (in red and orange)1536: In England, Anne Boleyn is beheaded for adultery and treason.1536: Establishment of the Inquisition in Portugal.1536: Foundation of Buenos Aires (in present-day Argentina) by Pedro de Mendoza.1537: The Portuguese establish Recife in Pernambuco, north-east of Brazil.1537: William Tyndale's partial translation of the Bible into English is published, which would eventually be incorporated into the King James Bible.1538: Gonzalo Jimnez de Quesada founds Bogot.1538: SpanishVenetian fleet is defeated by the Ottoman Turks at the Battle of Preveza.1539: Hernando de Soto explores inland North America.Main article: 1540sNicolaus Copernicus1540: The Society of Jesus, or the Jesuits, is founded by Ignatius of Loyola and six companions with the approval of Pope Paul III.1540: Sher Shah Suri founds the Suri dynasty in South Asia, an ethnic Pashtun (Pathan) of the house of Sur, who supplanted the Mughal dynasty as rulers of North India during the reign of the relatively ineffectual second Mughal emperor Humayun. Sher Shah Suri decisively defeats Humayun in the Battle of Bilgram (May 17, 1540).1541: Pedro de

United States, a podiatrist or podiatric surgeon shares the same model of medical education as osteopathic physicians (DO) and doctors of medicine (MD) with 4 years of medical school and 3-4 years of surgical residency focusing on the lower extremity. Medical Group Management Association (MGMA) data shows that a general podiatrist with a single specialty earns a median salary of $230,357, while one with a multi-specialty practice type earns $270,263. However, a podiatric surgeon is reported to earn with a single specialty, with the median at $304,474 compared to that of multi-specialty podiatric surgeons of $286,201.[6] First-year salaries around $150,000 with performance and productivity incentives are common if working as an associate. Private practice revenues for solo podiatrists vary widely, with the majority of solo practices grossing between $200,000 and $600,000 before overhead.[7][8]Podiatrists treat a wide variety of foot and lower extremity conditions through nonsurgical and surgical approaches. The American Board of Podiatric Medicine (ABPM) offers a comprehensive board qualification and certification process in podiatric medicine and orthopedics. Subspecialties of podiatry include:Reconstructive surgery[9]General podiatryPodiatric medicinePodiatric orthopedicsPodiatric sports medicineLower extremity plastic surgeryHigh-risk wound care[10]Podiatric rheumatology[11][12]Neuropodiatry[10]Oncopodiatry (podiatric oncology)Podiatric vascular medicinePodiatric dermatologyPodoradiologyPodiatric gerontologyPodiatric diabetology (limb salvage and wound care)[10]Podopediatrics[13]Forensic podiatryIn Australia, Certificate IV in Allied Health Assistance is the required qualification to work as a podiatry assistant.[14] The podiatry assistant can work as a part of a podiatric medical team in either clinical or non-clinical settings. Common professional accreditation pathways include:Podiatric nurseFoot carer/nursePodiatry support workerPodiatry technicianPodiatry hygienistFoot health professionalPodiatric surgical nurseFoot hygienistFoot health practitionerPodiatric medical assistantPodiatric surgery is concerned with the diagnosis and surgical treatment of disorders of the foot and ankle:Structural deformities, including bunions, hammertoes, flat feet, high arches, and bone spursHeel painNerve entrapmentJoint degeneration and arthrosisSkin and nail conditionsCongenital deformities such as clubfoot and polydactylyTrauma, including fractures and dislocationsAnkle fracturesDeformity correction/reconstruction for things like malunion, limb length discrepancy, Charcot neuroarthropathyJoint fusions for arthritis and other painful joint destructive conditions in the foot and ankleTotal ankle replacementsTotal or hemi-joint replacementsPodiatrists' roles include dealing with the conditions resulting from bone and joint disorders such as arthritis and soft-tissue and muscular pathologies as well as neurological and circulatory diseases. Podiatrists are also able to diagnose and treat any complications of the above which affect the lower limb, including skin and nail disorders, corns, calluses and ingrown toenails. Foot injuries and infections gained through sport or other activities are also diagnosed and treated by podiatrists.[15]Podiatrists scope of practice within Australia allows them to;- Refer for a range of diagnostic imaging: x-ray, ultrasound, MRI etc.- Assess a range of special patient groups including, paediatric patients, older patients, high-risk patients, sporting patients. - Assess and treat a wide range of musculoskeletal injuries, including, fractures (acute & bone stress injuries), tendon pathologies (Achilles tendiopathy, posterior tibial tendon dysfunction, tibalis posterior tendonitis etc), plantar heel pain (plantar fasciopathy/fasciitis), ankle sprains, chronic ankle instability, foot/ankle/knee arthritis, medial tibial stress syndroms (MTSS / "shin splints").- Utilise a range of therapeutic modalities including, exercise prescription, electrotherapies (shockwave, TENS, laser therapy, ultrasound), orthoses, footwear prescriptions, pharmacological prescriptions (for endorsed prescribers).- Perform partial nail avulsion surgeries (to treat ingrown toenails).- Inject local anaesthetics.- Perform routine & general nail care treatments. - Assess & manage pediatric pathologies.- Assess & manage high-risk patient groups in both private and hospital settings, including; perform neurovascular assessments, diabetic wound care.In the United States, medical and surgical care of the foot and ankle is mainly provided by two groups of professionals: podiatrists (Doctor of Podiatric Medicine or DPM) and orthopedists (MDs or DOs).The first two years of podiatric medical school is similar to training that either Doctors of Medicine (M.D.) or Doctors of Osteopathic Medicine (D.O.) receive, but with an emphasized scope on foot, ankle, and lower extremity. To enter a college of podiatric medicine, the student must first complete at least three years or 90 semester hours of college credit at an accredited institution. Biology, chemistry, organic chemistry, physics (all science courses require a lab) and English are among the required subjects. Over 95% of the students who enter a college of podiatric medicine have a bachelor's degree. Many have also completed some graduate study. Before entering a college of podiatric medicine, the student must take the MCAT (Medical College Admissions Test).[16] In 2019, the average MCAT score for matriculants was 499.6 and the average undergraduate cGPA was 3.3.[17]There are 11 colleges of podiatric medicine in the United States.[18] They all receive accreditation from the Council on Podiatric Medical Education, which is recognized by the U.S. Secretary of Education and the Council on Higher Education Accreditation. All of the colleges grant the degree of Doctor of Podiatric Medicine (DPM).[19]The four-year podiatric medical school is followed by a hospital based residency, which is hands-on post-doctoral training. Their residency model was standardized to 3-years of post-graduate training in 2011 (with some programs lasting 4 years in length), and the residency is now known as the Podiatric Medicine and Surgery Residency (PMSR) with almost all now having an added Reconstructive Rearfoot and Ankle (RRA) credential. Podiatric residents rotate through core areas of medicine and surgery. They work alongside their MD and DO counterparts in such rotations as emergency medicine, internal medicine, infectious disease, behavioral medicine, physical medicine and rehabilitation (PM&R), vascular surgery, general surgery, orthopedic surgery, plastic surgery, dermatology and podiatric surgery and medicine. Fellowship training is available after residency in such fields such as foot and ankle traumatology, lower extremity reconstruction, or limb salvage.Upon completion of their residency, podiatrists can decide to become board certified by a number of specialty boards including the American Board of Podiatric Medicine (ABPM) and/or the American Board of Foot and Ankle Surgery (ABFAS), which are both approved by the profession's accrediting agency, the CPME, and both have been certifying podiatrists since the 1970s. Though the ABPM and ABFAS are more common, other boards not recognized by CPME are challenging the status quo confer board qualified/certified status. The American Board of Multiple Specialties in Podiatry (ABMSP) is one additional option and has been certifying podiatrists since 1998.[20]The DPM superseded the historical DSC (Doctor of Surgical Chiropody) degree in the 1960s.Australian podiatrists complete an undergraduate degree of Bachelor of Podiatry or Bachelor of Podiatric Medicine ranging from 3 to 4 years of education. The first 2 years of this program are generally focused on various biomedical science subjects including anatomy, medical chemistry, biochemistry, physiology, pathophysiology, sociology and patient psychology, similar to the medical curriculum and that of other allied health disciplines. The following two years will then be spent focusing on podiatry specific areas such as podiatric biomechanics and human gait, podiatric orthopaedics or the non-surgical management of foot abnormalities, pharmacology and prescribing, general medicine, general pathology, local and general anaesthesia, and surgical procedural techniques such as partial and total nail avulsions, matricectomy, cryotherapy, wound debridement and care, enucleation, and other cutaneous and electro-surgical procedures such as electro-desiccation, fulagaration and electrosection. During the initial two years of study, podiatry students begin clinical placements, practicals and skills labs which give them exposure to a wide range of patients and treatment modalities. For example; diabetic foot assessments, gait & biomechanical assessments, orthoses manufacture, clinical history taking, diagnostic imaging and general podiatry care. Other topics studied in the final years of the degree include, podiatric sports medicine, exercise prescription & rehabilitation, advanced wound care and paediatric podiatry (paediatric gait, growth & developmental disorders).Postgraduate courses in podiatric therapeutics and prescribing are required for having endorsements in scheduled medicines.The Australian Podiatry Association supports Career Framework credentials, that recognise advanced competencies and clinical skills of podiatrists in Australia. The purpose is to provide an enhanced career progression beyond initial training that is both clear and transparent to consumers and the profession. In awarding the credential, the APodA can verify podiatrists have demonstrated and provided evidence of competency in their clinical interest area and undergone a rigorous assessment process.The APodA currently awards credentials in two clinical interest areas:- Paediatrics- Sports/BiomechanicsThe curriculum and assessment of The APodA Career Framework has been structured around the CanMEDS framework. CanMEDS is a universally recognised and adopted physician competency framework. A credentialled podiatrist will therefore personify and seamlessly integrate the competencies of all seven CanMEDS Roles:Medical ExpertCommunicatorCollaboratorLeaderHealth AdvocateScholarProfessionalOnly current APodA members are eligible to promote their credentialling. That is, the title is only available to be used by active members of the Australian Podiatry Association.All podiatrists are required to register with Australian Health Practitioner Regulation Agency (AHPRA) prior to be licensed to practice in Australia. Registration is required annually and there is a minimum registration standard that includes;- Completing 20 hours of continuing professional development (CPD) hours (additional hours are required for podiatric surgeons and podiatrists who are endorsed to prescribe scheduled medicines).- Having current professional indemnity insurance. - Having current CPR, First Aid & Anaphylaxis training.Podiatric surgeons are specialist podiatrists who have completed extensive, post-graduate medical and surgical training and perform reconstructive surgery of the foot and ankle. The qualifications of podiatric surgeons are recognised by Australian state and federal governments. It is an approved specialty by the AHPRA. Podiatric surgeons are included within both the Health Insurance Act and the National Health Act. The Podiatry Board of Australia recognizes 3 pathways to attain specialist registration as a Podiatric Surgeon:[21]Fellowship of the Australasian College of Podiatric SurgeonsDoctor of Podiatric Surgery, University of Western AustraliaEligibility for Fellowship of the Australasian College of Podiatric SurgeonsPodiatric surgical qualifications are a post-graduate speciality of the podiatric profession. Before attaining a podiatric surgical fellowship qualification, a podiatrist must complete an extensive training program, including:Bachelor of Applied Science degree, majoring in Podiatry (4 years)Minimum of 2 years post-graduate clinical practiceMaster of Podiatry (2 years full-time university degree)A 3-stage surgical fellowship training under supervision of the ACPS (4 to 6 years)International residency training (usually in the UK and USA)Demonstrated mastery of knowledge in foot and ankle surgery by passing oral and written examinations administered by the ACPSOnly one university, Auckland University of Technology (AUT), offers training to become a podiatrist. Podiatrists must have a Bachelor of Health Science majoring in podiatry from AUT, or an overseas qualification recognised by the Podiatrists Board of New Zealand, be registered with the Podiatrists Board of New Zealand and have a current Annual Practising Certificate.[22]In Canada, the definition and scope of the practice of podiatry varies provincially. For instance, in some provinces like British Columbia and Alberta, the standards are the same as in the United States where the Doctor of Podiatric Medicine (DPM) is the accepted qualification.Quebec, too, has recently changed to the DPM level of training, although other academic designations may also register. Also in Quebec, in 2004, Universit du Qubec Trois-Rivires started the first program of Podiatric Medicine in Canada based on the American definition of podiatry. In the prairie and Atlantic provinces, the standard was originally based on the British model now called podiatry (chiropody). That model of podiatry is currently the accepted model for most of the world including the United Kingdom, Australia and South Africa.The province of Ontario has been registering Chiropodists since July 1993 (when the Ontario Government imposed a cap on new podiatrists). If a registered podiatrist from outside of Ontario relocates to Ontario they are required to register with the province and practice as a chiropodist. Podiatrists who were practising in Ontario previous to the imposed provincial cap were 'grandfathered' and allowed to keep the title of podiatrist as a subclass of chiropody. The scope of these 'grandfathered' (mostly American trained) podiatrists includes boney procedures of the forefoot and the ordering of x-rays in addition to the scope of the chiropodist.In Ontario, podiatrists are required to have a "Doctor of Podiatric Medicine/DPM" degree (a post-baccalaureate, four-year degree), where the majority of chiropodists currently practising hold a post-secondary diploma in chiropody, although many also have some university level schooling or a baccalaureate degree in the sciences or in another field. Podiatrists may bill OHIP for their services; chiropodists may not. Podiatrists may "communicate a diagnosis" to their patients (or to their patients' representatives) and perform surgical procedures on the bones of the forefoot; chiropodists may do neither.[23]Chiropodists and podiatrists are regulated by the College of Chiropodists of Ontario, which had 594 chiropodists and 65 podiatrists registered as of 29 July 2015.[24]The only English-speaking Chiropody program in Canada, in which also has a working Chiropody Clinic on campus for students to treat patients under the supervision of licensed Chiropodists is The Michener Institute. According to The Michener Institute website, Chiropody is a branch of medical science that involves the assessment and management of foot and lower limb disorders. This includes the management of a wide variety of disorders, injuries, foot deformities, infections and local manifestations of systemic conditions. A Chiropodist is a primary care professional practising in podiatric medicine in Ontario that specializes in assessment, management and prevention of diseases and disorders of the foot. An essential member of the inter professional healthcare team, the Chiropodist is skilled in assessing the needs of their patients and of managing both chronic and acute conditions affecting foot and lower limb function. As a primary care provider capable of independent clinical practice, these skills are often practised independent of medical referral and medical supervision.In the UK, podiatrists usually undertake a 3-year undergraduate Bachelor of Science (Podiatry). Podiatric Surgeons usually undertake fellowships and postgraduate studies. The scope of practice of a podiatrist falls into four key categories:General clinicsBiomechanicsHigh-risk patient managementSurgery.There are two levels of surgical practice. As part of general podiatric care, podiatrists as HPC (Health Professions Council)-registered practitioners are involved with nail-and-minor-soft-tissue surgical procedures and qualified to administer local anaesthetics.From 1 August 2012, the HPC is being rebranded to the HCPC (Health & Care Professions Council) as they are expanding their remit to include Social Workers.[25] The old term of "State Registered" has been defunct for some time and is no longer used since the creation of the HPC.Some podiatrists go on to develop and train as podiatric surgeons, who surgically manage bone and joint disorders within the foot. It is to this latter group (Podiatric Surgeons) that the guidelines apply. Fellowship requires a minimum of six-years postgraduate training. This includes a two- or three-year surgical residency with an approved centre. Podiatric surgeons acquire comprehensive knowledge of related subjects including pharmacology, regional anaesthetic techniques and radiographic interpretation, as well as in-depth knowledge of foot surgery. The Surgical Faculty of the College of Podiatrists has set the standards for fellowship.In 2019, a 23% drop in podiatry students in the UK was reported. The Conference of Postgraduate Medical Deans called for full payment of their tuition fees and the introduction of a maintenance grant for healthcare students.[26]^ "Question: What is podiatry?". Ohio Podiatric Medical Association. Archived from the original on 2014-01-02. Retrieved 2012-06-27.^ "WHAT'S THE DIFFERENCE BETWEEN A PODIATRIST AND A CHIROPODIST? | Essex Union Podiatry". essexunionpodiatry.com. 2020-05-06. Retrieved 2023-01-14.^ "What is Podiatric Surgery?" (PDF). Australasian College of Podiatric Surgeons. Archived from the original (PDF) on 20 March 2012. Retrieved 25 August 2012.^ "ACFAS - Fellowship Resources". www.acfas.org.^ "ACFAS - Policy & Advocacy". www.acfas.org. Retrieved 2023-04-15.^ "Quick Facts: Podiatrists". compensation. MGMA.^ "Physician - Podiatry Salary".^ "Medical Specialty: Podiatric Medicine | Kent State University".^ "ACPS_Homepage". www.acps.edu.au.^ a b c "Advanced Practicing Podiatrists High Risk Foot". App-hrf.com.au. 2012-10-23. Archived from the original on 2013-04-19. Retrieved 2012-11-08.^ AUSTRALASIAN PODIATRIC RHEUMATOLOGY SPECIALIST INTEREST GROUP Archived 2013-08-09 at the Wayback Machine^ "British Health Professionals in Rheumatology (BHPR)". Archived from the original on 2016-12-20. Retrieved 2012-12-30.^ "Health & Social Care (Podopaediatrics) PT".^ "Allied Health Courses | Certificate IV in Allied Health Assistance | Cert IV".^ About Podiatrists. Retrieved on 2012-07-06.^ "Training of a Podiatrist". West Virginia Podiatric Medical Association (WVPMA). Archived from the original on 2014-02-03. Retrieved 2012-06-27.^ "Applicants' MCAT averages by year" (PDF).^ "The American Association of Colleges of Podiatric Medicine". The American Association of Colleges of Podiatric Medicine (AACPM). Retrieved 2023-10-09.^ "Podiatric Medicine as a Career". Michigan Podiatric Medical Association (MPMA). Archived from the original on 2013-10-20. Retrieved 2012-06-27.^ "ABMSP". ABMSP.^ Process for Application for Specialist Registration of Podiatric Surgeons. podiatryboard.gov.au. Retrieved on 2012-06-27.^ "Podiatrist: How to get into this job - Careers New Zealand". Careers.govt.nz. Retrieved 2012-08-25.^ "Ontario Podiatric Medical Association (OPMA) - Podiatry and Chiropody". opma.wildapricot.org.^ "Homepage". College of Chiropodists of Ontario.^ "HCPC - Health and Care Professions Council - New name for the Health Professions Council". Hpc-uk.org. Retrieved 2012-08-25.^ "The Ward Round: 200 more male nurses? A drop in the ocean". Health Service Journal. 28 February 2019. Retrieved 8 April 2019.Retrieved from " say foot surgery may help you recover from a foot condition that doesn't respond to other treatments.[1] After your foot surgery, your recovery may take a while, but good self care might have you back on your feet before you know it. Research suggests that resting, elevating your foot, applying ice, keeping your surgical site clean, and taking pain relievers may help your recovery.[2] However, follow your doctor's instructions so your foot heals properly. 1Stock up on food and other supplies. After you return home from the hospital, you will still need to stay off of your feet as much as possible. One way to make this easier on yourself is to stock up on anything you might need during your recovery. Some things to stock up on include:[3]food and beverages, such as convenient snacks and pre-prepped meals[4]toiletriesbooksmoviesover-the counter medicines, such as a gentle laxative and prescription or over-the-counter pain medicine 2Place everything that you will need within reach. You will need to stay off of your feet as much as possible when you get home from surgery, so it is a good idea to get yourself set up ahead of time. Gather any items that you think you will want and place them near where you expect to spend most of your time as you recover at home, such as your bed or recliner.[5]Think about what items you will want to have nearby when you return home from surgery. For example, you might want to have a stack of books by your side, or the remote control to the TV, or a backscratcher.3Move furniture to more convenient locations. Fewer obstacles will also make getting around your house much easier, so you might also want to rearrange some of your furniture before you head to the hospital.[6]For example, you might consider moving a coffee table to the side of the room so that you do not have to walk around it. Or, you might consider moving your bed to the ground floor so that you dont have to go up and down the stairs all of the time.4Get a disabled placard for your car. When you are able to drive again, you will still want to stay off your feet as much as you can, so a disabled placard can be helpful. Apply for a disabled placard at your local DMV prior to your surgery. The placard will only be temporary, but it will ensure that you can park closer to entrances whenever you have to go somewhere.[7]5Ask friends and family members for help. Even if you are well set up at home, you will still need to have some support from your friends and family while you recover. For example, you might need someone to pick up your mail, fill a prescription for you, or take you to a doctors appointment.[8]Make sure that you let your family members and friends know that you are having surgery and ask if one or more of them would be able to help you out now and then during your recovery. 1Follow the doctors orders. Depending on the kind of foot surgery you underwent, your restrictions may be extreme or they may be relatively mild.Your doctor has a vested interest in seeing you get better, so adhere to the limitations he or she sets.The doctor may assign you specific tasks to aid in the healing of the surgery such as icing, elevating, or specific ways to clean the surgery site.Call your doctor if you have any questions or concerns about the instructions he or she provided.2Take medication to manage your pain. The doctor will prescribe you medication to help you manage the pain youll experience after your foot surgery. Non-Opioid/non-narcotic pain relievers are often prescribed for small to medium levels of pain and are the safest form of prescription pain management. Common examples are ibuprofen, naproxen, and acetaminophen.Opioid pain relievers are prescribed for medium to severe pain. Follow the doctors instructions specifically when taking opioids as they can be extremely addictive. Examples of opioid painkillers include oxycodone and hydrocodone.3Manage your swelling. Its normal for the surgery site or even your entire foot to swell in the days following your surgery, but there are things that you can do to reduce the swelling.Use an ice pack or bag of ice to reduce inflammation. Be sure to place a towel between your foot and the ice and to check the skin under the ice regularly. Do not leave the ice in place for longer than ten minutes at a time.Do not place ice directly on top of the wound until it is completely healed.Elevate your foot to combat swelling. Try to keep it about six inches higher than your heart.4Take care of the surgical area. Its important that you keep the area around the surgical incision clean, dry and protected.Do not remove the bandages until the doctor has given you permission to do so.Keep the bandages dry. Use a cast protector to keep your foot dry if you need to take a shower.[9] Ask your surgeon or podiatrist when it will be okay for you to wash the surgical site.Do not put any creams, lotions or anything else on the wound unless as directed to do so by the doctor.5Combat common side effects of pain medication. It is not uncommon for patients to deal with constipation or other issues using the rest room for a few days after surgery.Make sure to stay hydrated to help your body stay regular.Eat high fiber foods to combat the constipation effect opioid pain killers have.Discuss the issue with your doctor if it continues for more than two days. 1Attend surgical follow up appointments. Your doctor will want to see you regularly in the months after your surgery to ensure you are healing correctly.Dont skip your post-surgical appointments as they are important to ensure your foot is healing as planned.Bring up any questions or concerns you have regarding the progress of your foot to your doctor.2Learn to get around. After your surgery, you may be on crutches, in a cast, or specialized footwear. Depending on your surgery, your mobility may be significantly limited.[10]Your doctor will tell you if you are ready for any amount of weight bearing.Be patient, rushing to place weight on your foot after surgery could re-injure you.3Keep an eye out for issues. There are a number of possible complications that may result from foot surgery. If you notice symptoms of these issues arise, contact your doctor immediately.Infection can be a risk early in your recovery. If you notice redness and warm swelling around the surgery site or are experiencing a fever you may have an infection.Nerve damage is often not permanent, but you may experience numbness or tingling in the region surrounding the surgical incision. While it usually passes, you should discuss it with your doctor 1Take it slow. Your foot will need plenty of time to recover, be patient and follow the guidance of your doctor.If you experience pain doing something the doctor has authorized, you may want to contact him or her to make sure you are not hindering the healing process.Rest when youre tired. Healing requires a significant amount of rest, so if you find yourself exhausted, its in your best interest to take it easy for a while.2Go to physical therapy. Your doctor may prescribe you physical therapy to help get you back on your feet.>Physical therapy can help you recover sooner and with more success.Physical therapists are trained to understand the limitations caused by your injury and devise exercises to help you regain your mobility.[11]Physical therapy can also help manage pain resulting from the surgery.3Be careful while driving. You may have trouble getting back behind the wheel again after your surgery. You should discuss any limitations you may have with your doctor.[12]Do not drive while taking opioid pain killers as they can hinder your ability to drive in a similar way to alcohol.Be careful using the foot you had surgery on when pressing pedals. Your doctor will be able to tell you if your foot can support the weight of pressing a clutch or gas pedal.4Get back to work safely. When you can return to work will be determined by the nature of your surgery and what you do for a living. Regardless of timeframe however, be careful not to hinder the healing process.Consider whether or not you will need to be on your feet for a significant portion of your day and whether your foot is healed sufficiently for that.Discuss your return to work with your doctor and your boss to ensure youre all on the same page.See if your work can provide you with temporary accommodations for the limits you experience while recovering. Add New Question Question How can I modify my living environment to make it easier to recover from foot surgery? Neal Blitz, DPM, FACFAS Board Certified PodiatristDr. Neal Blitz is a Podiatrist and Foot & Ankle Surgeon who runs private practices in New York City and in Beverly Hills, California. Dr. Blitz is The Bunion King and is the creator of the Bunionplasty Procedure (plastic surgery for bunions) which has revolutionized bunion surgery. He has over 17 years of podiatric experience and specializes in minimally invasive foot and ankle surgery. Dr. Blitz received his DPM from the New York College of Podiatric Medicine, then completed a residency focused on Elective & Reconstructive Foot & Ankle Surgery at the Swedish Medical Center, and was awarded an AO Trauma fellowship in Dresden, Germany, focused on trauma and reconstructive techniques. He is board certified in Foot Surgery and Reconstructive Rearfoot & Ankle Surgery and is also a Diplomate of the American Board of Foot & Ankle Surgery and a fellow of the American College of Foot & Ankle Surgeons (FACFAS). Make sure ahead of time that you're set up so you have the things you'll need near your bed and prep your meals in advance, as well. Once you get home, keep your bandages or cast dry, elevate your foot, and keep your pain medication nearby. Ask a Question Thanks Thanks Co-authored by: Board Certified Podiatrist This article was co-authored by Neal Blitz, DPM, FACFAS. Dr. Neal Blitz is a Podiatrist and Foot & Ankle Surgeon who runs private practices in New York City and in Beverly Hills, California. Dr. Blitz is The Bunion King and is the creator of the Bunionplasty Procedure (plastic surgery for bunions) which has revolutionized bunion surgery. He has over 17 years of podiatric experience and specializes in minimally invasive foot and ankle surgery. Dr. Blitz received his DPM from the New York College of Podiatric Medicine, then completed a residency focused on Elective & Reconstructive Foot & Ankle Surgery at the Swedish Medical Center, and was awarded an AO Trauma fellowship in Dresden, Germany, focused on trauma and reconstructive techniques. He is board certified in Foot Surgery and Reconstructive Rearfoot & Ankle Surgery and is also a Diplomate of the American Board of Foot & Ankle Surgery and a fellow of the American College of Foot & Ankle Surgeons (FACFAS). This article has been viewed 91,537 times. Co-authors: 17 Updated: June 5, 2025 Views:91,537 Thanks to all authors for creating a page that has been read 91,537 times. We will be closed on Thanksgiving Day, 28th and 29th November 2024. Happy Thanksgiving We will be closed on Thanksgiving Day, 28th and 29th November 2024. Happy Thanksgiving The Bay Area Foot and Ankle Associates began in 2001 by Dr. John W. Scivally. Dr. Scivally took over a fledgling podiatry practice in Walnut Creek, CA for a retiring podiatrist. Dr. Scivally used his grass-roots blue-collar mentality and put it into creating a successful medical business. He built this practice with dedication, sacrifice and hard work. Undergoing foot or ankle surgery can be a life-changing experience. Whether youve had surgery to correct a painful condition, such as a bunion or an ankle fracture, or opted for elective surgery to enhance your mobility, post-operative care is crucial to ensure a smooth and successful recovery. While your surgeon will provide you with specific instructions tailored to your procedure, there are some universal steps and considerations that can help you on the road to recovery. In this comprehensive guide, we will explore 5 Things to Do After Foot or Ankle Surgery. From managing pain and swelling to ensuring the best possible healing outcomes, well delve into the essential aspects of post-surgical care. Whether youre preparing for surgery, currently recovering, or just curious about what to expect, this resource will provide valuable insights to guide you through the healing process. Your feet and ankles play a vital role in your daily life, supporting your bodys weight and enabling you to move with ease. After surgery, its natural to have questions and concerns about the road ahead. We understand the importance of a safe and speedy recovery, which is why weve compiled this informative guide to empower you with the knowledge and tips you need. From discussing how to manage pain effectively to outlining the importance of following your doctors recommendations, our goal is to equip you with the tools and information necessary to navigate the post-surgical period with confidence and peace of mind. So, lets dive in and discover the five essential steps to take after foot or ankle surgery to ensure a successful and comfortable recovery journey. Recovery from foot and ankle surgery is a critical phase that deserves careful attention and planning. Whether youve undergone a procedure to address a longstanding issue or youre recovering from an unexpected injury, knowing what to expect during this period can make a significant difference in your overall experience. One of the key aspects of understanding foot and ankle surgery recovery is recognizing that each persons journey is unique. The type of surgery youve had, your overall health, and even your lifestyle will influence your recovery process. Its essential to work closely with your healthcare provider to develop a personalized plan tailored to your specific needs. They will provide you with guidance on everything from wound care to weight-bearing restrictions, ensuring that your recovery is as smooth as possible. Pain is a common concern after foot and ankle surgery. However, advances in pain management techniques have made significant improvements in minimizing discomfort during recovery. Your healthcare team will prescribe appropriate pain medications and recommend strategies to alleviate pain, such as icing and elevation. Its crucial to follow their instructions carefully to keep pain under control and ensure a more comfortable recovery. Maintaining mobility while protecting the surgical site is a balancing act. Depending on your procedure, you may be advised to avoid putting weight on your foot or ankle for a certain period. This may require the use of crutches, a brace, or a walking boot. Understanding and adhering to weight-bearing restrictions is essential for proper healing. In many cases, physical therapy plays a vital role in foot and ankle surgery recovery. It helps improve strength, flexibility, and overall function. Your healthcare provider will determine when its appropriate to start physical therapy and design a program tailored to your needs. Proper nutrition is often overlooked but is a crucial part of the recovery process. A well-balanced diet rich in nutrients can support tissue healing and overall well-being. Your healthcare provider may recommend specific dietary guidelines to aid in your recovery. Recovery can be mentally and emotionally challenging. Its normal to experience a range of emotions, from frustration to anxiety. Its essential to have a support system in place, including friends and family who can provide encouragement. Additionally, staying informed about your progress and maintaining a positive outlook can contribute to a smoother recovery. Understanding foot and ankle surgery recovery is a critical step towards a successful and comfortable healing journey. By working closely with your healthcare team, following their guidance, and taking a proactive approach to your recovery, you can look forward to regaining mobility and enjoying a better quality of life. Foot and ankle surgery can be a transformative experience, offering the promise of improved mobility and relief from chronic pain. However, the road to full recovery is paved with specific challenges and milestones that you should be prepared for. In this section, we will explore What to Expect After Foot & Ankle Surgery, focusing on the importance of proper recovery, the factors that affect the recovery timeline, the typical timeline for walking after foot surgery, and valuable tips for achieving a faster and smoother recovery process. Related: Understanding and Managing Cuts on the Bottom of the Foot Proper recovery after foot surgery is paramount to ensure that you regain optimal function and minimize complications. Following your surgeons instructions diligently is the cornerstone of this process. Your surgeon will provide guidelines on post-operative care, including wound care, medication management, and the use of any assistive devices like crutches or braces. Additionally, maintaining a healthy lifestyle during recovery is crucial. This includes following a balanced diet rich in nutrients that aid in healing and avoiding habits like smoking that can impede your bodys ability to recover. Adequate rest and sleep are equally vital, as they allow your body to focus its energy on healing. The recovery timeline after foot surgery can vary significantly from one individual to another due to several factors. The type and complexity of the procedure, your overall health, and your commitment to post-operative care all play pivotal roles in determining how long it will take for you to recover fully. Type and Complexity of the Procedure: More extensive surgeries, such as joint replacements or complex reconstructions, may have longer recovery periods compared to less invasive procedures like bunion surgery. The extent of tissue trauma and the number of structures involved can impact your recovery. Overall Health: Your general health and any underlying medical conditions can influence your recovery timeline. Individuals with chronic illnesses like diabetes or circulatory issues may experience slower healing and require more extended recovery periods. Age: Age can be a factor, as older individuals may experience a slightly longer recovery time due to natural changes in tissue elasticity and healing capacity. The timeline for when you can start walking after foot surgery varies based on the procedure performed and individual factors. In many cases, patients are not allowed to bear weight on the operated foot immediately after surgery. Instead, they may use assistive devices like crutches, walkers, or knee scooters to offload weight and protect the surgical site. Non-Weight Bearing Period: During the initial phase of recovery, which typically lasts for the first few weeks, you will be non-weight bearing on the operated foot. This allows the surgical area to heal without the added stress of weight-bearing. Partial Weight Bearing: After the non-weight bearing phase, your surgeon may gradually allow you to transition to partial weight bearing. This means you can start putting a limited amount of weight on the operated foot while continuing to use assistive devices for support. Full Weight Bearing: The final phase of recovery involves transitioning to full weight bearing. This step usually occurs once your surgeon is satisfied with the healing progress, and you can safely bear your full weight on the operated foot. Its important to note that the specific timeline for walking after foot surgery will depend on your surgeons assessment of your progress during follow-up appointments. While each recovery journey is unique, there are several tips and strategies that can help expedite the healing process after foot surgery: Follow Your Surgeons Instructions: Adherence to your surgeons post-operative instructions is paramount. This includes taking prescribed medications, keeping the surgical site clean, and attending all follow-up appointments. Physical Therapy: Engaging in physical therapy as recommended by your surgeon can enhance your recovery. Physical therapists can help you regain strength, flexibility, and balance while preventing complications like muscle atrophy. Maintain a Healthy Diet: Proper nutrition is essential for healing. Ensure you are consuming a diet rich in vitamins, minerals, and protein to support tissue repair. Stay Active (Within Limits): While you may need to limit weight-bearing activities initially, staying active within the confines of your surgeons recommendations can aid in circulation and overall well-being. Manage Pain Effectively: Address pain as needed with prescribed medications or non-prescription options recommended by your surgeon. Effective pain management can improve your comfort and facilitate mobility. Elevate and Ice: Elevating your foot and applying ice as instructed can help reduce swelling and discomfort. Quit Smoking: If you smoke, consider quitting or minimizing smoking during your recovery. Smoking can hinder circulation and impede the bodys healing process. Mental Health: Dont underestimate the impact of mental health on recovery. Maintaining a positive outlook and seeking support if needed can contribute to a smoother recovery journey. After foot surgery, regaining mobility is a primary goal for most patients. Whether youve had a procedure to correct a deformity, treat an injury, or alleviate chronic pain, its essential to gradually reintroduce movement to your foot or ankle. Physical therapy and exercises tailored to your specific condition are vital components of the recovery process. In this section, well explore the importance of exercises and physical therapy, common challenges faced during recovery, and when to consult your doctor or surgeon for guidance. Related : How To Stop Foot Spasms After Surgery Ankle Range of Motion Exercises: These exercises focus on improving the flexibility and mobility of your ankle joint. Simple movements like ankle circles, ankle pumps, and dorsiflexion/plantarflexion stretches help prevent stiffness and promote blood circulation. Toe Flexor Exercises: Strengthening the toe flexor muscles is crucial for regaining balance and control. You can use resistance bands or perform toe tapping and towel scrunching exercises to target these muscles. Calf Stretches: Gentle calf stretches can help alleviate tension and tightness in the calf muscles, which often occur after foot surgery. Wall stretches or using a calf stretcher can be effective. Weight-Bearing Exercises: Depending on your surgeons recommendations, you may gradually start bearing weight on the operated foot. This could include partial weight-bearing exercises like standing with support or using a walking aid. Proprioception and Balance Training: These exercises enhance your foot and ankles ability to sense their position and maintain stability. Activities like balancing on one leg or using a wobble board can be incorporated. Achilles Tendon Stretching: Gentle stretching of the Achilles tendon is essential for preventing tightness and promoting proper healing. Consult your physical therapist for safe stretching techniques. Pain and Swelling: Its normal to experience pain and swelling after foot surgery. To manage this, follow your prescribed pain medication regimen and use ice packs as recommended by your doctor. Elevating your foot can also help reduce swelling. Muscle Atrophy: Prolonged immobility can lead to muscle weakness and atrophy. Consistent, supervised exercises can help rebuild strength and muscle tone. Fear of Movement: Some patients may develop a fear of moving their foot or ankle after surgery. This fear can be addressed through gradual, guided exercises and the support of a physical therapist. Complications: While rare, complications such as infection or poor wound healing can occur. Monitor your surgical site closely for any signs of infection and follow up with your surgeon if you notice any concerning symptoms. Its essential to stay in close communication with your medical team throughout your recovery. Consult your doctor or surgeon if you experience: Severe pain that is not alleviated by prescribed medications. Excessive swelling, redness, or discharge from the surgical site. Fever or signs of infection, such as increased warmth or worsening redness around the incision area. Any unexpected changes in your recovery, including decreased mobility or function. Remember that every patients recovery timeline is unique, and its important to follow your customized recovery plan provided by your surgeon and physical therapist. By diligently performing prescribed exercises, addressing challenges as they arise, and seeking professional guidance when needed, you can work towards regaining mobility and achieving a successful recovery after foot surgery. One of the most crucial aspects of post-surgery care for your foot or ankle is to follow your doctors recommendations regarding weight-bearing and mobility. Your surgeon will provide clear instructions on when its safe to start putting weight on your operated limb. These instructions are based on the type of surgery youve undergone and your individual healing progress. Its imperative to adhere to these guidelines diligently. Ignoring your doctors advice and putting excessive weight on your foot or ankle too soon can lead to complications, delayed healing, and potential damage to the surgical site. Trust your healthcare professionals expertise and prioritize your recovery over impatience. As your doctor gives you the green light to start walking, choosing the right footwear becomes paramount. Proper shoes play a crucial role in supporting your foot and ankle during the recovery phase. Look for shoes that are comfortable, provide adequate arch support, and have a cushioned sole to minimize pressure on your operated area. In some cases, your surgeon may recommend specific orthopedic shoes or custom orthotics tailored to your individual needs. These specialized options can offer superior comfort and stability, ensuring a smooth transition from non-weight bearing to walking. Physical therapy and prescribed exercises are integral components of post-surgical recovery for your foot or ankle. These exercises are designed to improve strength, flexibility, and range of motion, ultimately helping you regain normal function and prevent complications. Make sure to diligently follow your exercise regimen as prescribed by your healthcare provider. Consistency is key to achieving optimal results. Additionally, dont rush through your exercises; perform them with care and attention to proper technique to avoid straining your healing tissues. When you begin walking after foot surgery, its essential to be cautious and mindful of your movements. Here are some precautions to keep in mind: Start Slowly: Begin with short walks, gradually increasing the duration as your comfort and strength improve. Avoid overexerting yourself, as excessive activity can lead to setbacks in your recovery. Watch for Swelling and Pain: Pay close attention to any signs of increased swelling or pain in your foot or ankle during and after walking. These can be indicators of overuse or complications, and you should promptly report them to your healthcare provider. Use Assistive Devices: In the early stages of walking post-surgery, consider using crutches, a cane, or a walker to provide additional support and stability. These devices can help reduce the strain on your healing limb and minimize the risk of falls. During your recovery from foot or ankle surgery, various assistive devices and aids can significantly enhance your mobility and comfort: Crutches: Crutches provide support and balance, allowing you to keep weight off your operated foot or ankle as directed by your doctor.

Maintain a positive outlook and stay patient throughout the process. Celebrate small victories and progress, and rely on a support system for emotional and physical support. By following these steps and diligently adhering to your surgeons advice, you can maximize the effectiveness of your recovery and look forward to regaining mobility and independence in your foot or ankle. Foot surgery can be a transformative experience, but the road to recovery often presents its own set of challenges. While patience is crucial during this time, there are steps you can take to accelerate your recovery process and catch the wave to a faster and smoother healing journey. Here are some essential tips to help you on your way: 1. Follow Medical Guidance: Adhering to your surgeons post-operative instructions is paramount. These guidelines cover everything from medication to weight-bearing restrictions. Following them diligently sets the foundation for a successful recovery. 2. Embrace Physical Therapy: Physical therapy plays a central role in restoring strength and mobility to your foot. Commit to your prescribed exercises and attend therapy sessions as recommended. 3. Optimal Wound Care: Maintain excellent wound care to prevent infections. Keep the surgical site clean and dry, and follow any dressing changes or wound care instructions provided by your surgeon. 4. Mobility Aids: If recommended by your surgeon, use mobility aids like crutches, knee scooters, or walkers. These devices alleviate the strain on your foot, reduce the risk of further injury, and help you move more comfortably. 5. Supportive Footwear: Wear the recommended supportive footwear, which may include orthopedic shoes or specialized post-operative footwear. These options provide the necessary support and alignment for your healing foot. 6. Healthy Lifestyle Choices: Maintain a balanced diet, stay hydrated, and avoid excessive salt intake to minimize swelling. If you smoke, consider quitting, as smoking can impair the healing process. 7. Arrange for Assistance: Prepare for your recovery by arranging assistance with daily tasks such as grocery shopping, meal preparation, and transportation to medical appointments. Rely on the support of family and friends to help alleviate the demands of your recovery. 8. Stay Positive and Patient: Recovery can be demanding and may require time. Maintaining a positive outlook and practicing patience is essential. Celebrate small achievements and lean on your support network for both emotional and physical assistance. While every individuals healing journey is unique, these strategies can help expedite the recovery process and enable you to regain your mobility and independence faster. By catching the wave to a swifter recovery, youll soon find yourself back on your feet and ready to enjoy the activities you love. Recovery after foot surgery requires time and patience. Your body needs to heal, and rushing the process can lead to setbacks or complications. Here are some key considerations to help you let your body heal effectively: 1. Rest and Elevate: Give your foot ample rest and elevate it as often as possible, especially during the initial days post-surgery. Elevation helps reduce swelling and promotes healing. 2. Listen to Pain Signals: Pain is your bodys way of signaling that something is not right. While discomfort is expected after surgery, excessive or worsening pain should be reported to your healthcare provider. 3. Avoid Overexertion: While its important to remain active within the limits set by your surgeon, avoid overexerting yourself. Engage in light activities that dont put excessive strain on your healing foot. 4. Nutrition and Hydration: Proper nutrition and hydration support your bodys healing process. Ensure youre getting a balanced diet and staying adequately hydrated. 5. Manage Stress: Emotional stress can affect physical healing. Practicing stress-reduction techniques such as deep breathing, meditation, or gentle exercises can be beneficial. Your surgeons post-operative instructions are tailored to your specific surgery and condition. Its crucial to follow them rigorously to ensure a successful recovery. These instructions may include: 1. Weight-Bearing Restrictions: If your surgeon advises against putting weight on your foot, adhere to these restrictions until you receive further guidance. 2. Medication Regimen: Take prescribed medications as directed, including pain relievers and antibiotics. Dont alter the dosages or stop taking them without consulting your healthcare provider. 3. Wound Care: Follow your surgeons recommendations for wound care, dressing changes, and hygiene to prevent infections and promote healing. 4. Physical Therapy: Attend physical therapy sessions as recommended by your surgeon to improve mobility and strength. 5. Follow-Up Appointments: Keep all scheduled follow-up appointments with your healthcare provider to monitor your progress and address any concerns. Medications prescribed by your surgeon play a vital role in your recovery. Its essential to take them as directed. Here are some key points to keep in mind: 1. Pain Medications: Take pain medications as prescribed to manage discomfort. Communicate with your surgeon if you experience inadequate pain relief or concerning side effects. 2. Antibiotics: If your surgeon prescribes antibiotics, complete the full course to prevent infections. 3. Anti-Inflammatories: If prescribed, anti-inflammatory medications can help reduce swelling and pain. Follow the dosing instructions. 4. Blood Thinners: If blood thinners are prescribed, take them as directed to prevent blood clots. By letting your body heal, following your surgeons orders, and taking necessary medications as prescribed, you pave the way for a smoother recovery and a quicker return to your daily activities. Always consult your healthcare provider if you have questions or concerns about your recovery. Recovering from foot surgery is undoubtedly a journey filled with unique challenges and triumphs. Your commitment to following medical guidance, embracing physical therapy, and maintaining a positive mindset are the pillars that support your path to recovery. With the right blend of patience, perseverance, and self-care, you can surmount these challenges and emerge from this experience stronger and more mobile than before. The tips provided in this guide are designed to empower you to navigate your post-surgery life with greater ease and confidence. Whether youre taking your first steps on crutches, rolling along on a knee scooter, or relying on a walker, remember that each small movement is a step closer to your complete recovery. Its important to understand that recovery may be a gradual process, and setbacks may occur. However, by following your surgeons instructions, adhering to your physical therapy regimen, and maintaining a positive and patient outlook, youre actively contributing to a successful and efficient recovery. As you continue your journey, lean on your support network of family and friends for both physical and emotional support. Their assistance and encouragement will prove invaluable as you work toward regaining your full mobility and independence. Your dedication to your recovery sets you on a path toward renewed strength, resilience, and a return to the activities you cherish. Stay committed to your healing journey, and before you know it, youll find yourself back on your feet, ready to take on the world once more. 1. When can I start walking after foot surgery? The timing for resuming weight-bearing and walking after foot surgery varies depending on the type of surgery and your surgeons recommendations. Its essential to follow your surgeons instructions and restrictions carefully. 2. What mobility aids are best for getting around after foot surgery? The choice of mobility aid, such as crutches, knee scooters, or walkers, depends on your specific surgery and mobility needs. Your surgeon will recommend the most suitable option for your situation. 3. How do I navigate stairs after foot surgery? Navigating stairs can be challenging after foot surgery. Your surgeon or physical therapist will provide guidance on the safest techniques for ascending and descending stairs while using your mobility aid. 4. Are there any exercises to improve mobility during foot surgery recovery? Physical therapy exercises are often recommended to improve mobility and strength during recovery. Your physical therapist will design a customized exercise plan to address your specific needs. 5. When can I return to driving after foot surgery? The timeline for returning to driving post-surgery depends on factors such as the type of surgery, your mobility, and the use of your surgical foot. Consult with your surgeon to determine when its safe to resume driving.You may be trying to access this site from a secured browser on the server. Please enable scripts and reload this page. Foot surgery recovery can be major or minor based on the problem being addressed, but it usually requires proper postoperative care. Given that your complete bodyweight rests on your feet, the risk of injury or damage after surgery is high. The time it takes for the operated foot to regain its complete strength, functionality, and range of motion depends upon the type of the operation and the overall health of the patient. It may take a few days to several weeks to recover from the foot surgery. Once the foot surgery is done, your doctor will brief you about the basic dos and donts to promote faster healing. Although different doctors have different approaches to facilitate the foot surgery recovery process, one indispensable guideline is to protect your operated foot from any extra load and resting it at all times for the first few days after surgery for recovery. This entails keeping your foot off the ground, which means no standing or walking until advised by the doctor. Sitting for prolonged periods with your foot hanging can make it swell and become painful. So it is recommended that you keep the operated foot in a raised position, preferably propped on a few pillows while sitting or even lying down. The elevation can help prevent inflammation and pain. Lack of use makes your foot lose some of its functionality and mobility. Thus, the surgeon may refer you to a physiotherapist to gradually rehabilitate the foot through specially designed exercises and other physical activities. Sometimes, foot pain is not alleviated by conservative treatment. The next step would be to consider foot surgery. When pain or deformity continues to worsen, surgery may be applicable to reduce pain and improve the function of your foot. (1) The following conditions require foot surgery. The medical term for a bunion is hallux valgus. In this condition, the bones no longer align, and the angle of the bones gradually produces the bump. The big toe also shifts toward the second toe instead of pointing straight. This leaning of the toe can worsen over time. Symptoms may include pain, inflammation, redness, and numbness. When conservative, non-surgical management, does not help the bunion pain, and when the pain of a bunion hinders day-to-day activities, surgical intervention may be beneficial. Different types of surgical procedures are available to manage bunions. The surgical procedures remove the bump of bone, stabilize the construct of the foot to reduce pain, and correct the deformity of the foot. (2) A hammertoe is a bending deformity of the second, third, fourth, or fifth toe. In the beginning stages, hammertoes are flexible, and the symptoms can be treated conservatively. Hammertoes can progressively become more rigid or stiff. At this point, surgery may be beneficial. (3) Common symptoms include pain when wearing shoes, thickened skin on top of the joints of the toe, irritation or redness of the toe when wearing shoes, inflammation, bending of the toe, and open wounds of the toe in serious cases. Surgery may be needed when the hammertoe becomes stiff and painful, and when an open wound develops. Metatarsals are the long bones of the feet behind the toes. Surgery on the metatarsals is performed for a variety of reasons. Metatarsal surgery is commonly performed to redistribute your weight on the ball of the foot when standing and walking. Metatarsal damage may develop due to several reasons such as, but not limited to, rheumatoid arthritis, fractures (4), and dislocated joints. Symptoms may include an abnormal appearance of your foot structure, difficulty walking, pain, inflammation, and stiffness of the joints. When metatarsal pain and deformity are not relieved by conservative treatments, surgery may be required. Osteoarthritis is also referred to as degenerative arthritis. It is a condition where damage and loss of cartilage in one or more joints occur. (5) Cartilage is the connective tissue found at the end of the bones in the joints. Cartilage protects the bones during movement. Symptoms of ankle osteoarthritis include pain, stiffness, swelling, difficulty walking, and decreased range of motion of the joint. Surgical treatment may be recommended when ankle osteoarthritis does not improve with conservative management. The Achilles tendon is a band of tissue that runs down the back of the lower leg and connects the calf muscle to the heel bone. Two common Achilles tendon disorders are Achilles tendonitis and Achilles tendonosis. (6) Achilles tendonitis is a brief time of inflammation of the Achilless tendon. The condition may progress into Achilles tendonosis over time. Achilles tendonosis occurs when the tendon loses its organized structure, developing microscopic tears. Symptoms include pain, aching, stiffness, soreness, and tenderness. Sometimes, nodules or lumps of scar tissue occur in the area where the tissue is injured. A Mortons neuroma is a thickening of nerve tissue due to compression or irritation of the nerve. It is often found to occur between the third and fourth toes. Compression generates a benign enlargement of the nerve. Symptoms include tingling, burning, numbness to toes, pain, splaying of the toes, and a sensation that a pebble is within the ball of the foot. (7) Surgery may be an option in those who do not respond to non-surgical management. Posterior tibial tendon dysfunction (PTTD) is also known as adult acquired flatfoot. The posterior tibial tendon is a tendon in the foot that supports the arch. PTTD is caused by changes in the posterior tibial tendon, hindering its ability to support the arch. This results in flatfoot. Symptoms may include pain, swelling, an inward rolling of the ankle, and flattening of the arch. As the condition worsens, the symptoms will change. (8) The foot and toes will start to turn outward, and the ankle will roll inward. As PTTD worsens, the arch flattens more. The pain then moves to the outside of the foot, beneath the ankle. Surgical management may be beneficial when PTTD fails to improve with conservative remedies. The plantar fascia is the band of tissue on the bottom of the foot that runs from the heel to the toes. The condition in which the plantar fascia is inflamed is known as plantar fasciitis. The symptoms of plantar fasciitis may include pain and swelling on the bottom of the heel and in the arch. The pain may be described as worse when getting up in the morning or after sitting for long periods. After a few minutes of walking, the fascia stretches, and pain subsides. Most people with plantar fasciitis respond to conservative treatment. (9) If the pain continues after several months of non-surgical management, surgery can be considered. Pain in the operated foot Numbness or tingling (temporary) Swelling Throbbing when the leg is hanging down Bruising Surgery is a cause of blood clots in patients. However, blood clots in the leg are rare after foot and ankle surgery. Prevention of clots is key. Clots can be prevented with blood-thinning medications and/or exercise. Depending on a patients risk factors, an anticlotting blood-thinning medication to prevent a clot in the leg may be prescribed by your surgeon. The prime advantage of foot surgery is pain relief. Other benefits of foot surgery include: Ability to walk, stand, and run with no painRestoration of foot alignment and structureReturn to daily activitiesStability of the joints of your foot and ankleIncreased movementReturn to physical activities and sports The incision may not healScarring may occurInfection may occur after surgeryThe recovery time is long. It may take 610 weeks before you can walk comfortably. It may take 3 months before you can return to exerciseIt may be necessary to wear a cast, brace, or walking boot/shoe without bearing weight to your foot for several weeks after surgery to allow the foot to healThere is a risk of failure of the surgery and reoccurrence of the foot problemNumbness may occur as a result of nerve damage Pain relief may be accomplished through alternative options such as: Wear shoes with a wide toe box and arch support. Avoid high heels. Use protective padding, toe spacers, or taping/splinting. Wear shoe inserts or orthotics to control and stabilize the joints of the foot and ankle. Use of braces to support function and provide stability. Apply ice to reduce inflammation. Use pain-relieving medications recommended by a doctor. Ask your doctor about cortisone injections to the foot to reduce the pain and swelling. Consider stem cell injection therapy to promote tissue repair. Undergo physical therapy for strengthening and range of motion exercises. Address all questions and concerns and discuss details with your surgeon before your procedure. Is preoperative testing necessary? What can I expect on the day of surgery? What can I expect days after my surgery? What do I need to do the day before surgery? What does the recovery period entail? Will I need crutches, wheelchair, knee scooter, or cane? How will the pain be controlled? How long will it take before I can walk in regular shoes? When can I start driving? When will the stitches be removed? Will I need physical therapy? Have things that you will need easy to reach, such as, but not limited to, a work table, phone, computer, television, books, food/beverage, and medications. Stick to the first floor, avoid the stairs. Invest in a shower stool for the bathroom. Make your home easy to move around from room to room. Avoid clutter. Ask your surgeon when you will be able to drive. Inquire about a temporary handicapped parking permit, if needed. Until you are cleared to drive, recruit the assistance of others to help you with transportation. Start taking your prescribed pain medication before the anesthesia from surgery wears off. Take your pain medication and antibiotics (if any) as prescribed. It is very important that you keep the bandages clean, dry, and intact. Protect your foot and bandages from getting wet. Do not remove the bandages unless advised by your surgeon. Raise your leg slightly above the heart level to reduce the pain and swelling. Apply ice to the operated site to help reduce the swelling. Follow the postoperative instructions given by your surgeon. Also, follow the instructions given by your surgeon about the ability to walk on your foot. There are many options to control and manage pain after foot surgery. Opioids, nonsteroidal anti-inflammatory drugs (NSAIDs), and local anesthetics are options to help manage pain. Medications help in expediting mobility, recovering your strength quickly, speeding up your recovery, and making you feel comfortable. To reduce pain and swelling, raise your foot and ankle slightly above the heart level. Apply ice to the operated site to help reduce the swelling. Follow the postoperative instructions given by your surgeon to control pain. After surgery, an exercise conditioning program will help you return to daily activities. A well-planned conditioning regimen will also help you return to sports and other recreational physical activities. Talk to your surgeon or physical therapist about the exercises that will help you meet your goals. Strengthening the muscles that support your lower extremity will help stabilize the joints of your foot and ankle. Maintaining the strength of these muscles can not only relieve pain to the foot and ankle but can also prevent future injury. Stretching is a key component in restoring range of motion and preventing injury. Stretching can also aid in reducing muscle aches and support the flexibility of your muscles. The following are the commonly recommended exercises: Achilles stretch: Stand facing a wall with your healthy leg forward with a small bend at the knee. Your affected leg is straight and behind you, with the heel flat on the ground. Keep both heels flat on the ground and press your hips and whole body toward the wall.Golf ball roll: While sitting with both feet on the floor, roll a golf ball under the arch of your affected foot.Towel stretch: Sit on the floor with both legs straight out in front of you. Hook a towel around the ball of your affected foot and hold each end of the towel in each hand. Keep your affected leg and knee straight and pull the towel toward you.Calf raises: Stand and hold onto a wall or chair for balance. Raise your unaffected foot off the floor. Your weight should be placed on your affected foot. Raise the heel of your affected foot as high as you can and then lower it.Range of motion of the ankle: Use your foot to write each letter of the alphabet in the air with your toes.Towel curls: Sit and place a small towel on the floor. Grab the towel with your toes and curl your toes. Protect painful bunions and hammertoes with padding that can be purchased at your local pharmacy or online. Wear shoe inserts or orthotics to assist in controlling and stabilizing the joints of the foot and ankle. Maintain a healthy weight. Take nonsteroidal anti-inflammatory medications to control the pain. Purchase proper shoe gear that has a wide toe box and arch support. Purchase shoes at a store that measures your foot so you can invest in the correct shoe size. Perform stretching and strengthening exercises for the lower extremity to prevent injuries. Wear supportive bracing when necessary. Complications are possible following any surgery of the foot. Surgical management should only be considered if conservative management has not helped. Complications include: Severe swelling and pain in the calf An enormous amount of blood on the bandage Toes, foot, and/or ankle becoming cold Toes, foot, and/or ankle turning pale Blue or white toes Redness Foul smell from the surgical site Fever Severe pain that is not relieved with pain medication Infection A blood clot in the leg Delayed healing Scarring Reoccurrence of the foot problem Your walking status after foot surgery depends on a variety of factors, such as the severity of your surgery, your age, and your general health. Bone healing and swelling prevent an early return to normal shoe gear for most foot surgeries. Normal shoe gear may be attempted at least 8 weeks after surgery. Your ability to walk after surgery should be discussed with your surgeon. Your surgeon will instruct you about your first follow-up appointment, typically within 57 days after your surgery. Your surgeon will change your bandages and check your surgery site at that time. Was this article helpful?YES, THANKS!NOT REALLY How long does it take to recover from foot and ankle surgery?Is ankle surgery a major surgery?How long do you stay in the hospital after ankle surgery?What happens if you walk too soon after ankle surgery?How long does it take to walk normally after ankle surgery? Have you ever broken your foot or torn a ligament in it? Its no fun. With the pain, you have to adjust to new shoes and an uncomfortable feeling when you walk. Foot and ankle conditions can be really painful and inconvenient, not to mention that they could inhibit future activities. But there is good news, with the advances in modern medicine and surgical techniques, foot and ankle surgery can be much less painful, quicker, and more comfortable than ever before. The Foot and Ankle Associates can help! How long does it take to recover from foot and ankle surgery? Factors such ashow complex the surgery was, your age and general health, and your compliance with instructions, such as weight-bearing status can determine the length of your recovery process. Tenderness and swelling can take three or four months to resolve, while for more complicated procedures, the recovery may take an entire year.The most common foot and ankle procedure, such as a bunionectomy, typically takes 4-6 weeks to recover. Other standard procedures, such as hammertoe surgery, can take anywhere from 3-9 months to recover. Its important to remember that healing is an individual process. Everyone heals differently. So your recovery time could be different from someone elses.Foot surgery can be a life-changing experience for many individuals, whether its correcting a long-standing issue, alleviating pain, or improving mobility. However, one of the most common questions that arise when considering foot surgery is, How long is Recovery for Foot Surgery? This concern is entirely justified, as understanding the recovery timeline is crucial for making informed decisions and setting realistic expectations. In this comprehensive guide, we will explore the factors influencing foot surgery recovery, provide insights into the average recovery times for various procedures, offer tips for smoother recuperation, and share real-life patient stories to help you navigate this significant journey. Also Read: 5 Things to Do After Foot or Ankle Surgery Before delving into the intricacies of recovery, its essential to have a basic understanding of the types of foot surgeries. Foot surgery can range from relatively simple procedures, such as bunion removal, to more complex surgeries like ankle reconstruction. The specific surgery you undergo will play a significant role in determining the length and nature of your recovery. To ensure that you have a clear picture of what to expect, lets briefly explore some common types of foot surgeries. Recovery from foot surgery is not a one-size-fits-all scenario. Numerous factors influence how long it takes to fully recuperate. Its important to recognize that your individual experience may differ from someone elses. Factors that can affect your recovery timeline include your age, overall health, the type and complexity of the surgery, preoperative preparation, and postoperative care. Age and overall health are crucial determinants. Younger, healthier individuals often experience shorter recovery periods than those who are older or have underlying health conditions. Additionally, the type and complexity of the surgery matter. A minor procedure may require a few weeks of recovery, while a more intricate surgery might extend that period. Preoperative preparation and postoperative care are equally important. Your surgeon will provide guidelines on how to prepare for the surgery, such as lifestyle adjustments and dietary considerations. Following these instructions diligently can positively impact your recovery. Similarly, the care you receive post-surgery, including wound management, physical therapy, and adherence to doctors recommendations, plays a pivotal role in determining the duration of your recovery. Now that weve touched on the various factors influencing foot surgery recovery, its time to delve into the specifics. While recovery times can vary widely, depending on the procedure and the individual, we can provide a general overview of what you can expect. Below, well explore the typical recovery timelines for some common foot surgeries. Keep in mind that these are approximate timelines, and your journey may differ. Understanding what to expect during the recovery process is essential for mental and physical preparation. Foot surgery recovery typically follows a phased approach, and each phase has its challenges and milestones. Lets break down the recovery journey, starting with the initial post-surgery days. Initial Post-Surgery Days: In the immediate aftermath of your foot surgery, you can anticipate some discomfort and limited mobility. Pain management will be a top priority, and your surgeon will likely prescribe pain medication to keep you comfortable. Depending on the type of surgery, you may need to keep weight off your operated foot entirely or use crutches or a walker. Elevating your foot and keeping it iced can help reduce swelling and promote healing. Also Read: 10 Tips to Prepare Your Home Before You Have Foot Surgery Progress in the First Few Weeks: As the days turn into weeks, youll begin to see progress. The initial pain and swelling will gradually subside. Its essential to follow your surgeons instructions meticulously, which may include changing dressings, wound care, and potentially attending post-operative check-ups. Some individuals may transition from crutches to a walking boot during this phase, while others may continue to rely on crutches for a longer duration. Coping with Pain and Discomfort: While pain will become more manageable over time, its not unusual to experience occasional discomfort, stiffness, and twinges of pain during the recovery process. Your doctor will guide pain management techniques, which may include medication, ice therapy, and elevation. You should report any severe or worsening pain to your medical team. Mobility and Physical Therapy: Physical therapy plays a significant role in foot surgery recovery. Your doctor may recommend exercises to improve strength, flexibility, and range of motion. This phase is essential for regaining full function and mobility in your foot. Regular physical therapy sessions can accelerate your recovery and reduce the risk of complications. Return to Normal Activities: The ultimate goal of foot surgery recovery is to return to your normal activities and enjoy life without pain or discomfort. The timeline for this will vary based on the surgery and individual factors. Its crucial to be patient and not rush the process. Your surgeon will guide you on when its safe to resume activities like walking, running, and sports. Navigating the recovery process can be challenging, but with the right support, patience, and commitment, you can make a successful recovery and regain your quality of life. Also Read: 4 Ways to Speed Up Your Foot Surgery Recovery Time While the majority of foot surgery recoveries proceed smoothly, its essential to be aware of potential complications that can extend the healing process. Some common complications include: Infection: Infections can occur at the surgical site, leading to pain, swelling, and delayed healing. Poor wound healing: Some individuals may experience slow or incomplete wound healing, which can prolong the recovery. Nerve damage: In rare cases, nerve damage can result in numbness, tingling, or altered sensation in the foot. If you encounter any unusual symptoms or complications, its crucial to contact your medical team promptly. Timely intervention can prevent further issues and help get your recovery back on track. A successful foot surgery recovery is not solely dependent on medical procedures but also on your active participation and lifestyle choices. Here are some valuable tips to ensure a smooth and efficient healing process: Preparation is Key: Before your surgery, follow your surgeons preoperative instructions diligently. This may involve lifestyle changes, dietary considerations, and arranging your living space to accommodate your limited mobility. Pain Management: Communicate openly with your medical team about pain. Dont try to tough it out. Effective pain management is essential for a comfortable recovery. Follow your prescribed pain medication regimen. Elevate and Ice: Elevating your foot and applying ice as recommended by your doctor can reduce swelling and inflammation. This is particularly important in the initial post-surgery days. Physical Therapy: Attend all scheduled physical therapy sessions and follow your therapists guidance for exercises and stretches. Consistent therapy can significantly speed up your recovery. Nutrition and Hydration: A balanced diet and staying hydrated are crucial for healing. Nutrients like protein, vitamin C, and zinc aid in tissue repair. Consult with your surgeon or a nutritionist for personalized dietary advice. Rest and Sleep: Adequate rest and quality sleep are essential for recovery. Ensure you have a comfortable sleeping arrangement, and dont hesitate to ask your surgeon for recommendations on sleep positioning. Follow Doctors Orders: It cant be stressed enough adhere to your surgeons instructions. This includes avoiding weight-bearing on the operated foot, keeping the surgical site clean, and attending follow-up appointments. Emotional Support: Recovery can be mentally challenging. Seek support from friends, family, or support groups. Keeping a positive attitude can make a significant difference in your healing process. In conclusion, foot surgery recovery is a unique journey that varies for each individual. Understanding the factors that influence recovery, the average recovery times for specific procedures, and implementing practical tips can make the process more manageable and successful. Its important to stay in close communication with your medical team, follow their guidance, and be patient with yourself during this recovery journey. Remember that your experience may differ from others, and complications, while uncommon, can arise. Seeking timely medical attention and adhering to your surgeons advice will help ensure a smooth and efficient recovery. Can I speed up my recovery? While you cant rush the natural healing process, you can optimize your recovery by following your surgeons advice, staying active in your physical therapy, and maintaining a healthy lifestyle. How can I manage pain during recovery? Pain management techniques include prescribed medication, ice therapy, elevation, and relaxation techniques. Be sure to discuss your pain management plan with your healthcare provider. When can I return to work or normal activities? The timing varies based on the type of surgery and individual factors. Your surgeon will guide you on when its safe to resume your normal activities. Be patient and dont rush the process. What can I do to prevent complications during recovery? To minimize the risk of complications, follow your surgeons preoperative and postoperative instructions meticulously. Report any unusual symptoms or concerns promptly. 1 Day Post-Op From Foot SurgerySoft Cast Goes From Toes to Knee After careful consideration of surgical and non-invasive options, I consented to ganglion metatarsal bone cyst foot surgery. While I knew that none of the proposed surgical procedures offered a 100% guarantee, I was willing to go ahead with the procedure that made the most sense. For background information, seeTips for Handling Multiple Doctors Opinions.Today, I will share what I learned from this foot surgery and simultaneously offer tips for people who are contemplating foot surgery or are presently going through the recovery phase.6 POST-SURGICAL TIPSEmbrace PositivityUse life-giving positivity to put the breaks on your negative thoughts and negative life-draining negativity. Focus on the benefits of your surgery rather than the frustrations that normally encompass a surgical procedure. Its important that you approach the recovery phase with an upbeat attitude.Acknowledge PainEveryone has a unique pain tolerance level. Each body part has a different number of nerve endings. Keep in mind that your feet have more nerve-endings per square inch than any other body part. While I was aware of this fact, I didnt anticipate how much this foot surgery would hurt.Yikes! My pain was disproportionate to the tiny surgical site. I had to acknowledge my limitations until my pain subsided.Avoid Comparing Yourself to OthersYes, its great to know that the average recovery time should be X number of weeks. If your rehab takes longer than anticipated, dont get unglued. Everyone recovers at a different rate. You can look to other peoples experiences as a guide, but its unwise to believe that youll follow the same path.Manage Your Limited MobilityIf youre an active person, it will be harder to deal with your lack of independence. Crutches and scooters will put a crimp on your day-to-day life. Avoid getting too upset by your lack of mobility.Gradually, increase the amount of time you spend upright. In the early stages, medical professionals recommend that you keep your foot elevated. I definitely knew when my leg was down too long. As soon as my foot started to throb intensely, I knew that I had surpassed my limit.Focus on the long-term goal of returning to your former lifestyle. Dont get hung up on any minor setbacks.Traveling During the First Six WeeksErgonomical CrutchesIncreased MobilityI chose to travel twice during this period. After a couple of weeks, I flew to Chicago. I didnt feel strong enough to hop through two major airports and a large hotel. Whenever possible, I arranged for wheelchairs and reserved a handicap room. For additional information, I recommend reading Tips for Traveling With Crutches.At about 5 weeks post-op, I went on a business road trip. To limit the inevitable throbbing, I elevated my leg in the backseat of the car during the longer rides and avoided standing too long. My daily walking was kept to a minimum. I made sure that the organizers of the trip were aware of my limitations.PatienceThe length of time I spent transitioning from non-weight bearing status to partial weight-bearing to walking unassisted was unique to my situation. It was longer than the initial projection. I had no choice but to remain patient throughout this tedious process.Was I disappointed and frustrated?Yep. But, I persevered.Could I do everything I wanted? No!It was almost three months post-op before my foot cooperated and I could drive my car again.Was it frustrating? Yes.But I knew from past experience that I had to wait until my body was ready to move to the next level.I viewed the recovery process as a marathon where I had to pace myself rather than a sprint that would be completed quickly.4 REHABBING TIPSFollow the Doctors ProtocolsEach doctor determines his or her post-op protocols based on multiple factors. If your doctor recommends physical therapy, find a therapist who will follow through accordingly. I started physical therapy after I was weight bearing and the pain had subsided significantly. My therapist, Mike, provided a progression of exercises and also worked on my foot scar as well as the soft tissues and muscles in my foot, ankle, leg, and hip. My situation was a bit more complex since my pre-surgical foot pain prevented me from completing the physical therapy for my knee.If physical therapy isnt required, read about different ways that you can regain your strength, flexibility, range of motion, and stamina. After creating a plan, share your ideas with your surgeon or physician assistant to make sure that he or she agrees with your strategy. During the post-op recovery phase, you should avoid activities that could cause re-injury.Listen to Your Body and Gradually Increase Activity LevelOnce your feeling more like yourself, youll be prone to want to do more and more. Its tempting. But your body will send blunt messages when youve overdone it. The foot pain will intensify and the toes may swell. Its even possible that other parts of your leg may hurt. These are indications that you need to slow down your pace. A little TLC may be warranted.Aquatic EquipmentTraining Flippers, Hand Buoys, Water Weight Leg CuffsFinding the delicate balance between increasing activity levels and managing discomfort can be tricky. In some situations, non-weight bearing activities such as swimming and riding a stationary bicycle may be better than walking.If youve been sedentary for a while, take it slowly as you resume activity. The first time I returned to swimming, I spent most of my time walking in the water and only five minutes of swimming. After several weeks, I was back to swimming for more than 30 minutes without stopping and doing another 30 minutes of combined aerobic activity and walking in the pool. Ive always tried to incorporate water aerobics using Hydro Fit products, walking in the pool, and swimming with Aqua Sphere training flippers as part of my rehab process.Due to the time needed to heal my bone graft, I was advised to avoid high impact activities for at least six months.Ask QuestionsDissolvable Stitch Trying to Come Through Incision LineIf something doesnt seem quite right, dont hesitate to call the doctors office. Just a few weeks ago, I felt like there was a sliver in my incision. I learned that it was a dissolvable stitch that was trying to come through my skin. While the surgeon offered to retrieve it, Ive chosen to wait and see if it heals on its own.If youre not sure how quickly you should be increasing your activity level, call someone on your medical team. Dont forget to ask about your individual post-surgical restrictions.Post-Surgical Foot GearFor the first couple of weeks, my foot was wrapped in an oversized soft cast. This apparatus made me feel off-balanced when I hopped around on crutches. As a result, I had to be extra careful so that I wouldnt topple.Orthopedic Post-Surgical Open- Toed ShoeWhen the cast was removed, I was placed back into an orthopedic boot. It was the same one that was prescribed after my injury. I was instructed on how to use crutches so that I could be partially weight-bearing. When the pain intensified, I had to return to my previous hop status for another week or so.Thereafter, I was able to gradually increase the weight I distributed on both of my feet. Over time, I put more and more weight on the surgical foot. At approximately five weeks, I graduated to an orthopedic shoe. This hard soles shoe was easier to navigate than the boot, but it was still a different height compared to my other shoe. This created a hobbling effect. My hip started to suffer from the unevenness of my gait.Within a few weeks, I was once again able to move on to the next step. I was so excited to put on my previously comfortable HOKA ONE ONE shoes. These were the only shoes that I was able to wear before the surgery.Lones Peak 3.5 trail running shoe by AltraAll of my HOKA ONE ONE shoes irritated the incision line on the top of my foot and increased the pain in the metatarsal region. I was frustrated.What was I going to wear?I looked at the composition of the post-surgical shoe and observed that it was totally flat and extremely wide. My first stop was the Boulder REI store. The shoe saleslady directed me to similarly constructed shoes. The closest match was the Lones Peak 3.5 trail running shoe by Altra. On the Altra website, I read about the Zero Drop Platform and wide toe box. I followed their recommendations to purchase a half size larger shoe. I was so happy when I tried this shoe on. It was a great fit. I walked out of the store delighted that I could walk in shoes again.HOKA ONE ONE Recovery SandalThe Altra shoe solved my outdoor concerns. I still needed to find an indoor shoe because I was instructed to avoid going barefoot. While ordering shoes online can be a disastrous experience, I decided to take a gamble. I ordered the HOKA ONE ONE recovery sandal. As a former teacher, I say THUMBS UP to this shoe. To protect the incision line, I wear a pair of socks. It may look a bit funky, but Im able to walk around the house without pain. I purchased a second pair to wear when I go swimming. CONCLUDING THOUGHTSIm now four months post-op. Im pleased with my recovery process.2 Weeks Post-Op from Ganglion Metatarsal Bone Cyst SurgeryYes, the initial few weeks were painful and challenging. In retrospect, having two orthopedic surgeries within three months of one another may not have been a wise idea. I was extremely tired and simply didnt seem quite right.For weeks, the top of my foot looked like someone had dropped a piano on it. The bruising covered the top half of my foot. The pain was definitely more than I anticipated. Since I rarely experience post-op bruising, I was surprised.But, at about five weeks post-op, I rounded the corner. I was able to participate in a weeklong press trip which uplifted my spirits. This invitation provided an incentive to reach an obtainable goal. Successful rehabbing requires being motivated to reach definable milestones. After accepting the invitation to attend the media trip, I worked toward being able to walk a mile and to stand for at least 10 minutes.To my surprise, I walked up a steep portion of the Oregon Trail. While admiring the view, I breathed in deeply. Wow! I was thrilled that I could do this at less than 6-weeks post-op. There were several participants who didnt even try.Sandy Bornstein Walking on a Summit County Trail 3 months Post-Op Foot SurgeryJust a few weeks later, the bruising was gone. I was able to walk an easy five-mile mountain trail. I slowed my pace when I approached the uneven rocky surfaces and the wooden footbridges that crossed small creeks. By the end of my adventure, my spirits were soaring and my foot was sore. Ive trekked a few more times in Summit County, Colorado. Each time the foot is responding more favorably while my hip is slower to follow. Eventually, I regained all of my independence and drove my car again to Denver.Ive gradually increased my swimming routine to include three one-hour sessions per week and Im walking a couple of miles in my neighborhood twice a week. While Im still not back to my pre-injury state, Im diligently working toward my goal of skiing this December. I missed the entire season last year due to my knee and foot injuries.After reading a preponderance of medical studies that tie physical activity levels to longevity, Im trudging on. Now that my knee and foot have been successfully repaired, Im ready to go back to exploring the world and sharing my travel adventures.RELATED POSTSCan Your Diet Influence COVID-19 Immunity?Why We Get Sick: Showcases Linkage Between Insulin Resistance and Chronic IllnessActive Lifestyles Versus the Aging ProcessTips For Handling Multiple Doctors OpinionsShould a Middle Aged Person Have Medial Meniscus Surgery?6 Tips for Eliminating Back and Sciatica PainShould I Have Surgery?Overcoming a Physical Therapy Setback10 Tips for Subacromial Decompression Post-Op RecoveryMeaningful Anniversary(hip replacement)Swimming a Lifelong Endeavor5 Ways to Improve Exercise MotivationCAN YOU SHARE?Each person has his or her own recovery story. We can all gain something from reading about how others handle their rehab process. Do you have any tips that youd like to share with my readers?BIOSandra Bornstein is a freelance travel and lifestyle writer. She shares her experiences and recommendations on this blog and on other websites. Check out Sandras second website, . It exclusively focuses on travel.Sandra contributes a monthly travel tip column forGolden Living, a Best Version Media magazine. She also writes for Fareportals online sitesOne Travel Going Places and CheapOAir Miles Away.Sandra is the author ofMAY THIS BE THE BEST YEAR OF YOUR LIFE. This memoir highlights Sandras living and teaching adventure in Bangalore, India. As a licensed Colorado teacher, Sandra has taught K-12 students in the United States and abroad. She also taught college-level courses.Sandras memoir was a finalist in the Travel category for the 2013 Next Generation Indie Book Awards, the 2013 International Book Awards, the 2013 National Indie Book Excellence Awards, 2013 USA Best Book Awards, and an Honorable Mention award in the Multicultural Non-Fiction category for the 2013 Global ebook Awards. Keeping You In the Game All Summer Orthopedics & Spine | Surgery Center - Germantown M - Th 4 p.m. to 8 p.m.Sat 8 a.m. to Noon The Intersection of Neurosurgery, Orthopedics, & Rehabilitation for Comprehensive Spine Care Top Doctors in Surgery Care &Orthopaedic Care Magnetic resonance imaging (MRI) is a diagnostic exam that uses a combination of a large magnet, radiofrequencies and a computer to produce detailed images of organs and structures within the body, such as bones, joints and soft tissue. OrthoSouth Surgery Centers in Germantown and Southaven are designed to accommodate a number of surgical specialties, including orthopedics, interventional pain management, and spine procedures. The Germantown Surgery Center is recognized as a 2025 Top ASC for Orthopedics & Spine by U.S. News & World Report. VISIT OUR SURGERY CENTERS We consider it a privilege to treat your employees. We view both the employers and employees we serve as our clients, and strive to provide 5-star service at the highest level to employer and patient alike. Our workers' compensation group is available to provide medical opinions, treatment, and support for employee work injuries at any of our eight clinic locations across the Mid-South region. With

How to care for foot after bunion surgery. Foot surgery recovery. Foot rehab after surgery. What to do after foot surgery. How to care for your foot after bunion surgery. What to use after foot surgery. How to wash foot after surgery.